

パイン材ベッド下収納ボックス・仕切付き

PINE BED / UNDERBED STORAGE

松木床下収納盒/附隔板

組立・取扱説明書

User Guide

组装 / 使用说明书

日本語

この度は本製品をお買い上げいただき、誠にありがとうございます。
1ページからお読みください。

English

Thank you for your purchase.
Read these instructions from Page 10.

中文

本次承蒙惠购本产品，在此深表感谢。
请从第十九页开始阅读。

パイン材ベッド下収納ボックス・仕切付き

組立・取扱説明書

この度は本商品をお買い上げいただき、誠にありがとうございます。
ご使用前に本書をよくお読みいただき、内容を理解した上で、正しく組み立て、正しくお使いください。
また、本書はいつでも確認できるように大切に保管してください。

もくじ	ページ
重要なお知らせ（安全上のご注意）	2 ～ 3
パーツリスト	4
各部の名称	4
組立方法	5 ～ 7
ご使用方法	8
お手入れ方法	8
ご使用に際して	8 ～ 9
製品仕様	9
お問い合わせ先	9

重要なお知らせ（安全上のご注意）

必ずお守りください。

本書には、お使いになる方や他の人への危害と財産への損害を未然に防ぎ、安全に正しくお使いいただくために、重要な内容を記載しています。

次の内容（表示・図記号）をよく理解してから本文をお読みになり、記載事項をお守りください。

●表示の説明

誤った使い方をしたときに生じる危害や損害の程度を区分して説明しています。



警告

使用者が死亡または重傷（※1）を負うことが想定される内容です。



注意

使用者が傷害（※2）を負うことや物的損害（※3）が発生することが想定される内容です。

●図記号の説明

お守りいただく内容を次の図記号で説明しています。（次は図記号の例です。）



してはいけない「禁止」の内容です。



実行しなければならない内容です。

※1 重傷とは、失明やケガ、やけど、骨折、中毒、感電などで後遺症が残るもの及び治療に入院、長期の通院を要するものをさします。

※2 傷害とは治療や入院や長期の通院を要しない、ケガ、やけどをさします。

※3 物的損害とは、家屋、家財にかかわる拡大損害をさします。



警告



禁止

- 直射日光や熱・冷暖房機の強風などが直接当たらないようにしてください。変形、変色、火災の原因となることがあります。
- 製品のキャスターで電化製品の電源コードを踏まないでください。コードが破損し、感電や火災の原因となることがあります。
- 不要になった包装材料のプラスチック製の袋は乳幼児の手の届くところに置かないでください。頭からかぶるなどした時に口や鼻をふさぎ窒息するおそれがあります。
- フィッティングパーツは小さな部品です。幼児の手の届く所に置かないでください。また紛失しないでください。誤飲した場合、窒息などのおそれがあります。



注意



禁止

- 組み立てが不完全なまま使用しないでください。中途半端な取り付けだと、固定部分が外れてケガの原因となることがあります。
- 製品に乗ったり、無理な力で引張ったりしないでください。破損しケガをする原因となります。
- 製品を動かす際は、指や手をはさまないでください。ケガをする原因となります。
- 修理及び改造はしないでください。製品の強度が弱くなり、ケガをするおそれがあります。
- 破損した状態で使用しないでください。強度が弱くなり、ケガをするおそれがあります。
- 用途以外では使用しないでください。破損してケガをするおそれがあります。
- 屋外では使用しないでください。反りやゆがみ、割れなどの原因になり、ケガをするおそれがあります。
- 収納部の1ヶ所に過度な荷重をかけないでください。また、無理に引っ張ったり、進行方向以外に動かしたりしないでください。床がキズつく原因となります。
- 汚れた物や湿った物は収納しないでください。収納物や本体にカビが生じる原因となります。
- 耐荷重を超えて物を載せたり、耐荷重内でも一部に片寄って載せたりしないでください。変形や破損によりケガをするおそれがあります。

⚠ 注意














行う

- 組み立ては必ず2人以上で行ってください。1人で作業をされると、部材の転倒、破損によるケガの原因となります。
- 組み立ては十分な場所を確保し、敷物を敷いてください。床や既存の家具にキズがつく原因となります。注意して行ってください。
- 部屋の換気は定期的に行ってください。特に下記の条件ではカビやダニが生じやすく、健康を害することがあります。
 - ・ 湿度の高い季節
 - ・ 冬季など外気が冷たく、室内温度との差により結露が生じる場合
 - ・ 過度な加湿器の使用
- 収納内部の湿気対策を行ってください。
 収納部は湿気がこもりやすくなりますので、市販の除湿剤(湿気取り用)などを使用してください。また定期的な換気を行ってください。湿気は収納物や本体にカビが生じる原因となります。
- 使い始める時は、室内の換気を十分にしてください。ホルムアルデヒド放散量の少ない木材を使用しておりますが、ホルムアルデヒドが残っている可能性があり、化学物質に敏感な体質な方や乳幼児などアレルギー症状を起すことがあります。特に乳幼児の衣類などを収納する場合は、ポリ袋やビニール袋等に入れたままの状態での収納ください。
- 床面がフローリングなどや畳などの場合は、敷物などを敷いて使用してください。床面のキズ防止になります。
- 製品をベッドの下に置いて動かす際は、取り付けたキャスターの進行方向に対して真っ直ぐに動かしてください。斜めに引っ張ると、キャスターが回転せずに床面にキズがつく原因となります。


お願い (その他 注意)

- 毛足の長いじゅうたん類の上でご使用になると、キャスターの動きが悪くなることがあります。
- 商品は素材特有のにおいがあります。衣類などにおいの移るおそれのあるものの収納は避けください。
- この商品は水平に保つように置いてください。ガタついたまま使用すると商品の変形やゆがみ、破損の原因となることがあります。
- 高温(目安: 35℃以上)や乾燥した場所(目安: 湿度30%以下)で長期間設置はしないでください。製品の反りやゆがみ、割れなどが生じる原因になります。
- 直射日光や照明、ストーブやエアコンなどの冷暖房器具の熱や風を商品に直接あてないでください。反りやゆがみ、割れ、変色などの原因になります。暖房器具を使用する場合は、室内の温湿度は適正に保つようにしてください。
- シンナーなどの有機溶剤を含んだ布で拭かないでください。変色や変形の原因となります。

パーツリスト

パーツ		
㉠側板・長（引き手有）  ×1	㉢側板・長  ×1	㉡側板・短（引き手有）  ×1
㉣側板・短  ×1	㉤底フレーム（穴有）  ×2	㉥底フレーム  ×1
㉦底板  ×1	㉧仕切り板  ×1	㉨キャスター  ×4
フィッティングパーツ		
㉠ジョイントピン  ×8	㉢カムナット  ×8	㉡木ネジ  ×8

各部の名称




引き手

仕切り板

引き手

底板



底フレーム

底フレーム（穴有）

部：マグネット受け

※マグネット受け（5箇所）は「ベッド下収納用ふた」（別売）を使用する際に必要となります。

(完成図)

組立方法




注意

- 組み立ては必ず2人以上で行ってください。1人では商品破損や商品落下などによりケガをする原因となります。
- 組み立てに電動工具を使用しないでください。無理に負荷がかかると、破損することがあります。
- 組み立て後、1週間程度経過しましたら、カムナットを締め直してください。使い始めはゆるんでいる場合があり、そのまま使用すると破損、ケガの原因となります。
- 組み立て、設置の際は、床や既存の家具がキズがつかないようにご注意ください。

はじめに組み立てる場所に敷物を敷いて床面を保護してください。


1 ①側板・長（引き手有）と②側板・長の図の位置のジョイントピン取付穴に③ジョイントピンを8ヶ所ねじ込んでください。

※はじめだけ手でねじ込んでおき、その後プラスドライバーで締め込むと容易です。




※ジョイントピンの取り付け時の注意については「ジョイントピンとカムナットの取り付け方」をご参照ください。

※プラスチックパーツが埋め込んである穴がジョイントピン取付穴で、その他は木ダボ用穴です。




2 それぞれの木ダボと木ダボ用穴、ジョイントピンとジョイントピン用穴を合わせるように差し込んでください。





組立方法（つづき）

3


⑥カムナットを十字溝の鋭角部がジョイントピン
の方向を向くように調整しながら④側板・短の
カムナット用穴に2ヶ所入れ、⑥カムナットを
プラスドライバーでしっかり締め付けてください。
※ジョイントピンとカムナットの取り付け方
の詳細については、下記「ジョイントピンと
カムナットの取り付け方」をご参照ください




ジョイントピンとカムナットの取り付け方



※ジョイントピンとカムナットの 勘合の仕組み




この「開口部」を右図のように
ジョイントピンの頭に合わせ
て押し込んでください。



お手持ちのプラスドライバーでカム
ナットを時計回りにまわし、ジョイント
ピンにしっかりかみ合わせてください。
仕様上、カムナット穴はきつめに設定
されています。カムナットがカムナット
穴に入りにくい場合は、ドライバーなど
で強めに押し込んでください。

4

側板の溝に⑦底板をスライドさせながらはめ込み⑤底フレーム（穴有）と⑥底フレームを図の位置で
⑧側板・長の本ダボ用穴に差し込んでください。




注意

組立て中に③④側板・短を広げると⑧側板・長の
ジョイントピン付近の木部が破損するおそれがあります。




※上記イラスト例は手順 5
のものです。



組立方法（つづき）


5

◎側板・短（引き手有）を **2** 同様に差し込み、⑤カムナットを入れ、カムナットを締めてください。
次に、上から④側板・長（引き手有）を③ジョイントピン、木ダボそれぞれを合わせながら **3** 同様の手順で⑥カムナットを入れて締めてください。




6

静かに本体を裏返し⑤底フレーム(穴有)の4ヶ所に◎木ネジを使って①キャスターを取り付けてください。
取り付け方は【横使い】【縦使い】で異なります。下のイラストを参照し、取り付けを選んで取り付けてください。



7

本体を表向きにして、⑧仕切り板を溝に合わせて差し込み完成です。
最後に、もう一度全てのカムナットがしっかり締めつけてあるかを確認してください。



ご使用方法

移動について

〈組み立てた状態で動かす場合〉

- 組み立てたベッド下収納を移動する時は、床面を引きずらず、必ずベッド下収納の下に両手を掛け、大人2人以上で同時に持ち上げて運んでください。ケガや破損、床面へのキズの原因となります。

〈引越しなどで運ぶ場合〉

- 引越しなどで移動する際は、組み立て前の状態に戻してから運んでください。ケガや破損、床面へのキズの原因となります。

廃棄について

- 廃棄の際は、居住地域自治体のルールに従い処分してください。

お手入れ方法

保守・点検

- 破損、変形した状態では使用しないでください。
- 各部にゆるみやぐらつきがないか定期的に点検し、異常が見られたら使用を中止してください。商品の破損、ケガの原因となります。
- 害虫を発見した場合は、直ちに殺虫や防虫処理をしてください。放置すると虫害が拡大するおそれがあります。

木部のお手入れ

- 塗装面のほこりはやわらかい布または、はたきで軽く払ってください。硬い布でほこりのあるままでこすると細かなキズがついてかえって逆効果です。通常、やわらかい布での乾拭きで十分です。
- 汚れのひどい時は、薄めた中性洗剤を浸した布で汚れを落とし、その後、水で浸した布で洗剤分をよく拭き取ってください。次に乾いたやわらかい布で軽く拭いた後、自然乾燥させてください。
- 化学ぞうきんを長時間接触させておくと、変色したり表面がはがれたりすることがありますのでご注意ください。

金属部のお手入れ

- 毎日のお手入れはやわらかい布で乾拭きしてください。
- 汚れのひどい時は、3～5%に薄めた中性洗剤を浸した布で汚れを落とし、その後、水で浸した布で洗剤分をよく拭き取ってください。次に乾いた布で軽く拭いた後、自然乾燥させてください。

ご使用に際して

天然木について

- 本商品は天然木を使用しているため、木目や色合い等、天然木材特有の個体差があります。そのため、商品として木目や色調に差がありますが、あらかじめご了承ください。
- 天然木は下記条件により、割れや反りなどが発生することがありますので、ご注意ください。
 - ①直射日光のあたる場所でのご使用はできる限りお避けください。どうしても直射日光が当たる場所は、カーテンなどでできる限りお避けください。
 - ②冷暖房器具の近くでのご使用はできる限りお避けください。必ず冷暖房の風が直接当たらないようにしてください。
 - ③特に冬の暖房による室内の極端な乾燥は、天然木の割れや反りを発生させる原因になります。

ホルムアルデヒドの対策について

●ホルムアルデヒドとは

ホルムアルデヒドは、シックハウス症候群の原因物質の一つといわれています。常温で気化する無色で刺激臭のある化学物質で、家具はもとより建築資材、壁紙を貼る接着剤などに含まれています。少しずつ放散されるため、ホルムアルデヒドに汚染された室内に長時間いると目がチカチカしたり、喉に不快な刺激を感じたりすることがあります。濃度が高いと呼吸困難を起こす場合もあります。

ご使用に際して（つづき）

●お部屋の換気をしてください。



家具を設置の際は、室内の換気を十分にしてください。化学物質に敏感な体質の方や乳幼児などアレルギー症状を起こすことがあります。

ホルムアルデヒドは空気中に放散されやすいので、普段からこまめに室内の換気を行うようにしてください。複数の家具を同時に設置した場合は特に窓をできるだけ広く開け、十分な換気を行ってください。室内の温度が高くなると、ホルムアルデヒドは多く放散される傾向がありますので、夏季に室内を長時間閉め切っている場合は特に換気をするようご注意ください。換気効率を上げるため、複数の窓を開けたり、換気扇、扇風機、サーキュレーターの利用をおすすめします。

●化学物質に敏感な体質のお客様へ

ホルムアルデヒドに限らず、シックハウス症候群に該当する化学物質は許容量に個人差があります。よって、室内濃度指針値（健康上望ましいとされるホルムアルデヒドの室内濃度値）以下の濃度であっても反応する体質の方もいらっしゃいます。現段階の無印良品の家具におきましてもホルムアルデヒド放散量の少ない材料を極力使用しておりますが、まったく放散されないわけではありませんので、ご注意ください。特に乳幼児の衣類など収納する場合は、ポリ袋やビニール袋等に入れたままの状態でご収納してください。

アレルギー症状が起きた際は、医師にご相談される事をおすすめします。

●無印良品の家具は梱包内にホルムアルデヒド吸着・分解シート（※）を入れて出荷しています。

（※ホルムアルデヒド吸着・分解シート：アイシン精機（株）との共同開発）

狭い空間ではホルムアルデヒドは逃げ場がなく、材料に再吸着する可能性があります。そこで、少しでもお客様のお手元に届くまでにホルムアルデヒド濃度を低下させるためにホルムアルデヒド吸着・分解シートを入れてあります。

※同梱の「ホルムアルデヒド吸着・分解シート」は、効力が落ちておりますので、燃えるゴミとして処分してください。

製品仕様

品 名	パイン材ベッド下収納ボックス・仕切付き
製 品 寸 法	幅 940× 奥行 625× 高さ 180 mm
製 品 質 量	約 6.5 kg
用 途	収納（パイン材ベッド ベッド下スペース用）
耐 荷 重	約 10 kg（※全体に均等な荷重をかけた場合）
材 質	側 板：天然木（パイン材） 底 板：繊維板 表面加工：ラッカー塗装
原 産 国	中国

お問い合わせ先

商品のお問い合わせは、お買い上げの販売店もしくは下記お客様室までご連絡ください。

株式会社 良品計画

〒170-8424

東京都豊島区東池袋 4-26-3

お客様室でんわ



0120-14-6404

受付時間 ■平日 10:00～21:00
■土・日・祝 10:00～18:00

PINE BED / UNDERBED STORAGE

User Guide

Thank you for your purchase.
Read the User Guide before use to ensure correct use and assembly of this product.
Please store this User Guide in an easily accessible place for future reference.

Table of Contents	Pages
Important Information (Safety Advice)	11 - 12
Parts	13
Part Names	13
Assembly Instructions	14 - 16
Directions for Use	17
Care Instructions	17
Usage	17 - 18
Specifications	18
Contact Information	18

Important Information (Safety Advice)

These instructions
must be followed.

This User Guide contains important information for the safe use of this product in order to prevent harm to the user and others or damage to the property.

Please note the following contents (indications and graphic symbols) before reading the main contents of this User Guide, and follow the instructions given.

- Explanations of Indications

The degrees of injury and damage that may arise when the product is used incorrectly are classified and explained with the following symbols.



Warning

Indicates a hazard with a level of risk which, if not avoided, could result in death or serious injury*¹ to the user.



Caution

Indicates a hazard with a level of risk which, if not avoided, could result in injury*² to the user or property damage*³.

- Explanations of Graphic Symbols

Instructions are given in the form of the following graphic symbols. (Examples of graphic symbols are as follows.)



DON'Ts: Actions that are prohibited.



DOs: Actions that must be taken.

*1 "Serious injury" indicates blindness, injuries, burns, bone fractures, poisoning, or electric shocks which have long term effects and require hospitalisation and/or long-term hospital visits for treatment.

*2 "Injury" indicates injuries or burns which do not require hospitalisation or long-term hospital visits for treatment.

*3 Property damage indicates expanded damage that involves the house or household property.



Warning



DON'Ts

- Be sure that direct sunlight or the air from a heater or air conditioner does not come into direct contact with the product.
This may cause deformation, discolouration or fire.
- Do not place a castor of the product on the power cord of an electrical appliance. Doing so may damage the cord, resulting in electric shock or fire.
- Do not keep unwanted plastic bags and packaging materials within reach of infants. Infants may accidentally pull packaging materials over the mouth or nose, causing suffocation.
- The fitting parts are very small. Keep them out of reach of infants. Be careful not to lose the parts. Accidental swallowing of the parts may cause choking.



Caution



DON'Ts

- Do not use the product unless fully assembled. If assembly is incomplete, fixed parts become detached resulting in injury.
- Do not stand or sit on this product or apply excessive force to it. Doing so may cause damage to the product or injury.
- Be careful not to trap your hands or fingers when moving this product. This may result in injury.
- Do not attempt to repair or modify the product. Doing so may weaken the strength of the product, resulting in injury.
- Do not use this product if it is damaged. Doing so may weaken the strength of the product, resulting in injury.
- Use this product only for its intended purpose. Failure to do so may cause damage to the product or injury.
- Do not use the product outdoors. Doing so may cause warping, deformation or cracks, resulting in injury.
- Do not place excessive weight in one part of the storage section. Also, do not pull the drawers with excessive force or move them in a direction other than the intended direction. Doing so may cause scratches on the floor.
- Do not store dirty or wet items. Doing so may cause mould in the stored items or the product.
- Do not place heavy items that exceed the withstand load on the product, or place items within the withstand load on one side of the product. Doing so may result in injury due to deformation or damage to the product.

Important Information (Safety Advice)

These instructions
must be followed. (Cont'd)

Caution



DOs

- The product must be assembled by two or more people. Assembling alone may result in injury due to parts of the product falling or becoming damaged.
- Secure sufficient space when assembling the product, and assemble on a sheet/rug. Failure to do so may scratch the floor and other furniture. Be careful when assembling the product.
- Periodically ventilate the room. Especially under the following conditions, an infestation of mould and mites may occur, and may cause health hazard.
 - Humid season
 - During winter, when the difference in temperature between the outside and inside is too large, it causes condensation.
 - Excessive use of a humidifier.
- Take measures to reduce the amount of humidity in the storage area. Humidity accumulates easily in the storage section. Use a commercially available dehumidifying agent (for absorbing moisture) to reduce humidity. Also, regularly ventilate the storage section. Humidity may cause mould in the stored items or the product.
- Ventilate the room well at the early stage of product use. Wooden materials that emit as little formaldehyde as possible are used. However, formaldehyde contained in the wood adhesives may still remain, and those with chemical sensitivity or infants may experience an allergic reaction. Keep stored items in a plastic bag, especially when storing children's clothing.
- If the floor is wooden or tatami, lay a sheet/rug underneath the product. Doing so prevents the floor from being scratched.
- When storing this product under a bed, move it straight in the direction of the attached castors. If it is pulled diagonally, the castors cannot roll and may scratch the floor.

Note (Other Cautions)

- Castors may not roll well when used on long pile carpets.
- The materials used in this product have a characteristic odour. Do not store items such as clothing that may absorb the odour.
- Install the product so that it remains horizontal. Using this product in a wobbly or unstable state may cause deformation or warping, resulting in damage to the product.
- Do not store the product for a long period of time in a hot (approx. temperature 35°C or higher) or dry (approx. humidity 30% or lower) place. Doing so may cause warping, deformation or cracks in the product.
- Do not expose the product to direct sunlight, illumination or heat and air from such appliances as a heater or air conditioner. Doing so may cause warping, cracks or discolouration. When using a heating appliance, be sure to keep the room at an appropriate temperature and humidity level.
- Do not wipe using a cloth that contains an organic solvent such as thinner. Doing so may cause deformation or discolouration.

Parts

Parts		
Ⓐ Side Panel / Long (With Handle) ×1	Ⓑ Side Panel / Long ×1	Ⓒ Side Panel / Short (With Handle) ×1
Ⓓ Side Panel / Short ×1	Ⓔ Base Frame (With Holes) ×2	Ⓕ Base Frame ×1
Ⓖ Base Panel ×1	Ⓗ Partition Board ×1	Ⓘ Castor ×4
Fitting Parts		
Ⓐ Joint Pin ×8	Ⓑ Cam Nut ×8	Ⓒ Wood Screw ×8

Part Names

Section: Magnet Holder

* Magnet holders (5) are required when using the "LID FOR UNDERBED STORAGE" (sold separately).

(Completion Image)

Assembly Instructions



Caution


- The product must be assembled by two or more people. Assembling alone may result in injury due to damage to the product or the product falling.
- Do not use power tools to assemble the product. Placing unnecessary strain on the product may result in damage.
- Re-tighten all cam nuts approximately one week after the assembly. Bolts may become loose at the start of use, and continued use with loose bolts may result in damage or injury.
- Be careful not to scratch the floor and furniture when assembling and installing the product.

First, lay a sheet / rug on the floor where the product will be assembled to protect the floor.

1


Insert ① joint pins (8) into the joint pin holes in ① side panel / long (with handle) and ② side panel / long in the positions shown in the figure.

* For easy insertion, turn them by hand first, then tighten them with a Cross Head screwdriver.




* For cautions relating to the joint pins, see "Attaching the Joint Pins and Cam Nuts".

* The holes with plastic parts inside are the holes for the joint pins. The other holes are for the wooden dowels.



2

Insert the wooden dowels in the holes for the wooden dowels and the joint pins in the holes for the joint pins.




Assembly Instructions (Cont'd)


3

Insert ⑥ cam nuts in the two holes for cam nuts in ④ side panel / short, adjusting the cam nuts so that the pointed end with the "+" shaped groove faces in the direction of the joint pin. Tighten the ⑥ cam nuts firmly with a Cross Head screwdriver.

* For details on how to attach the joint pin and cam nut, see "Attaching the Joint Pins and Cam Nuts" below.




Attaching the Joint Pins and Cam Nuts




Insert the joint pins in the holes for joint pins in the parts.


Using a Cross Head screwdriver, turn them clockwise to tighten them.



* Joint Structure of Joint Pins and Cam Nuts



Insert this head according to the head of the joint pin as shown in the figure on the right.




Firmly secure the joint pin by turning the cam nut clockwise with a Cross Head screwdriver.

The cam nut holes are designed to fit the cam nuts tightly. If the cam nut does not fit easily into the cam nut hole, use a screwdriver, etc. to push the cam nut in firmly.

4

Slide ⑦ base panel into the grooves on the side panels and insert the dowels of ⑤ base frame (with holes) and ⑥ base frame into the holes for wooden dowels on ③ side panel / long.




Caution

Do not spread out ③ and ④ side panels / short, as this may damage the wooden area near the joint pins on ③ side panel / long.



* The illustration above is showing step 5.


③ Side Panel / Long



③ Side Panel / Long

Crack

③ Side Panel / Long




③ Side Panel / Long

④ Side Panel / Short




Assembly Instructions (Cont'd)

- 5** Insert ③ side panel / short (with handle) in the same way as step 2, then insert and tighten ⑥ cam nuts. Next, attach ① side panel / long (with handle), aligning the joint pins and wooden dowels from above, and insert and tighten ⑥ cam nuts in the same way as step 3.




- 6** Gently turn the unit over and attach ① castors to the four holes in ⑤ base frames (with holes) using ③ wood screws.

The castors need to be attached differently depending on whether the product will be used lengthways or crossways. Select how to attach them according to the illustrations.



➡ : Direction of movement

- 7** Turn the unit up the right way and insert ④ partition board into the grooves to complete assembly. Lastly, check that all of the cam nuts are fully tightened.



Directions for Use

Moving the Product

<Moving when Fully Assembled>

- When moving a fully assembled underbed storage, do not drag it on the floor. The unit must be lifted by two or more people, and held with both hands underneath the unit. Failure to do so may cause injury, damage to the unit or scratches to the floor.

<Moving when Moving House, etc.>

- When moving the unit in order to move house, etc., disassemble the unit before moving it. Failure to do so may cause injury, damage to the unit or scratches to the floor.

Disposal

- To dispose of this product, follow the rules implemented by your local government.

Care Instructions

Maintenance and Inspection

- Do not use this product if it is damaged or deformed.
- Periodically check for any looseness or wobbling in all parts, and stop use immediately if any abnormalities are found. Failure to do so may cause damage to the product or injury.
- Take insecticidal measures immediately if any type of pest is found. If left untreated, insect damage may worsen.

Maintenance for Wooden Sections

- Gently wipe off dust from coated surfaces using a soft cloth or duster. Rubbing dusty surfaces with a hard cloth is counter-productive as it may cause small scratches to occur. Normally, wiping off with a soft, dry cloth is sufficient for cleaning.
- If the product is particularly dirty, wipe off the dirt using a cloth soaked in a neutral detergent solution, and then wipe off any detergent residue with a damp cloth. Next, gently wipe with a soft, dry cloth and let the product dry naturally.
- Do not leave a chemical duster in contact with the product for a long time, as doing so may cause discolouration or peeling of the surface coating.

Maintenance for Metal Sections

- For daily care, wipe the product with a soft, dry cloth.
- If the product is particularly dirty, wipe off the dirt with a cloth soaked in a 3% to 5% neutral detergent solution. Then wipe off any detergent residue with a damp cloth. Next, gently wipe with a dry cloth and let the product dry naturally.

Usage

About Natural Wood

- This product is manufactured using natural wood. There are differences in the grain and colour as a result of these natural materials. Please note that the wooden grains and colours of all the products are not the same.
- Please note that cracks and warping may occur in natural wood in the following conditions.
 - ① Avoid use in a place that is subject to direct sunlight wherever possible. If use in direct sunlight is unavoidable, reduce the amount of sunlight wherever possible using curtains, etc.
 - ② Avoid use near heaters or air conditioners wherever possible. Be sure that the air from a heater or air conditioner does not come into direct contact with the product.
 - ③ In particular, air from heaters in the winter season is very dry and can easily cause cracks and warping in natural wood.

Formaldehyde Countermeasures

- What is Formaldehyde?

Formaldehyde is said to be one of the causes of sick house syndrome. It is a colourless, pungent smelling compound that vaporizes at room temperature, and is found in such items as furniture, building materials and wallpaper adhesives. It is released gradually, but people in a room where formaldehyde has accumulated for a long time may experience symptoms such as eye irritations or a sore throat. A high concentration of formaldehyde may cause breathing difficulties.

Usage (Cont'd)

- Ventilate the room.



Caution

Ventilate the room well when installing the furniture. Small children and those who are sensitive to chemicals may have an allergic reaction.

Formaldehyde is easily dispersed in the air. Therefore, be sure to ventilate the room regularly. When several pieces of furniture are placed at the same time, pay closer attention and open the windows widely for sufficient ventilation. More formaldehyde is released when the room temperature increases. Therefore, be careful if the room is closed for a long time during the summer, and ventilate the room thoroughly. In order to increase ventilation efficiency, it is recommended that you open multiple windows, or use a ventilation fan or air circulator.

- For Persons Who Have High Sensitivity to Chemicals

There are individual differences in resistance to chemicals other than formaldehyde that are related to sick house syndrome. Therefore, even when the actual formaldehyde value in the room is lower than the indoor concentration guideline value (indoor concentration of formaldehyde that is desirable for health), some people react to formaldehyde. At present, MUJI furniture products are made with materials that emit as little formaldehyde as possible, but this does not guarantee that no formaldehyde is emitted at all. Keep stored items in a plastic bag, especially when storing children's clothing.

If any allergy symptom appears, it is recommended to see a doctor.

- MUJI furniture products contain formaldehyde absorption/decomposition sheets(*) as part of the packing materials.

(* Formaldehyde absorption/decomposition sheet: Jointly developed with Aisin Seiki Co., Ltd.)

If the product is used in a restricted space, formaldehyde may be re-absorbed by the material if there is nowhere for it to dissipate. Formaldehyde absorption/decomposition sheets are used to reduce the concentration of formaldehyde as much as possible before the product reaches the customer.

* Effectiveness of the "formaldehyde absorption/decomposition sheet" in the packaging has been expended by the time the package reaches the customer, and it can be disposed of as burnable rubbish.

Specifications

Product Name	PINE BED / UNDERBED STORAGE
Product Dimensions	W940 × D625 × H180mm
Product Weight	Approx. 6.5kg
Usage	Storage (For the Space Under Pine Bed)
Withstand Load	Approx. 10 kg (* When load is spread evenly across the unit)
Materials	Side Board: Natural Wood (Pine) Bottom Board: Fibre Board Surface Treatment: Lacquer Coating
Country of Origin	China

Contact Information

For your inquiry about the product, please contact the store where you bought it.

松木床下收纳盒/附隔板

组装/使用说明书

本次承蒙惠购本商品，在此深表感谢。
使用前请务必仔细阅读本文，并在充分理解的基础上再进行使用。
此外，请务必妥善保管本文，以备随时进行确认。

目录	页
重要通知 (安全注意事项)	20 ~ 21
配件清单	22
各部位名称	22
组装步骤	23 ~ 25
使用方法	26
保养方法	26
使用注意事项	26 ~ 27
产品规格	27
联系方式	27

重要通知(安全注意事项)

请务必遵守。

为了防止使用者或他人遭受危害和经济损失，本文中记述了确保安全且正确使用的重要内容。
请在充分理解下述内容(标示/图形符号)的基础上仔细阅读本文，并严格遵守所述事项。

●标示说明

按错误使用所造成的危害或损失程度进行分类说明。

 警告 可能会导致使用者死亡或重伤(※1)的内容。	 注意 可能会导致使用者遭受伤害(※2)或物质损失(※3)的内容。
---	---

●图形符号说明

通过以下图形符号对应严守的内容进行说明。(以下为图形符号范例。)

 不得执行的“禁止”内容。	 必须执行的“强制”内容。
--	--

※1 所谓重伤，是指因失明或受伤、烫伤、骨折、中毒、触电等原因而留下后遗症以及需住院治疗、长期就医的伤势。

※2 所谓伤害，是指无需治疗或住院、长期就医的受伤、烫伤。

※3 所谓物质损失，是指住房、家庭财产相关的连带损失。

 **警告**

 禁止	● 请避免阳光直射、冷暖气设备的强风直吹等。 否则可能导致变形、变色或引起火灾。 ● 请注意勿使产品的滑轮压住家电产品的电源线。否则可能会因电源线断裂而导致触电、火灾。 ● 多余的包装材料请放置于婴幼儿无法触及的场所。否则可能因包装材料套住头部等阻碍嘴或鼻的呼吸而造成导致窒息的危险。 ● 组装零件为小零部件。请勿放在婴幼儿可以触及的地方。此外，请勿丢失。不小心吞下时可能会导致窒息等。
---	---












 **注意**

 禁止	● 组装完成之前请勿使用。如不彻底组装完毕，可能会因固定部位脱落而导致受伤。 ● 请勿站立在商品上，或用力强行拉拽。否则可能导致损坏、受伤。 ● 移动产品时，请小心不要夹到手。否则可能导致受伤。 ● 请勿擅自修理或改造。否则可能导致产品的强度下降而受伤。 ● 产品出现损坏时请勿使用。否则可能导致强度下降而受伤。 ● 原本用途以外请勿使用。否则可能导致损坏而受伤。 ● 请勿在室外使用。否则可能导致弯曲、变形或开裂等而受伤。 ● 收纳部分请勿局部过度负重。此外，请勿用力拉扯，移动时请顺着(滑轮)行进方向。否则可能会损伤地面。 ● 请勿收纳脏的或湿的物品。否则可能导致收纳物品或产品主体发霉。 ● 请勿放置超过承重范围的物品，即使在承重范围内也请勿集中在局部。可能因为商品的变形或损坏而导致受伤。
---	--


! 注意	
! 严守	● 组装时，请务必确保两人以上共同作业。一人单独作业的话，可能会由于部件翻倒、损坏而受伤。 ● 组装时请确保有足够的空间，并铺设铺垫物。以防损伤地面和原有的家具。作业时请特别注意。 ● 请定期进行房间的换气。尤其在下述环境下易导致发霉或螨虫繁殖而危害健康。 · 高湿度的季节 · 冬季等外部冷空气与室内温度产生温差而导致结露的环境 · 过度使用加湿器 ● 请采取排除收纳部位内部湿气的对策。收纳部位容易积存湿气，请使用市面销售的除湿剂(除湿用)等。同时请定期换气。湿气可能导致收纳物品或主体发霉。 ● 刚开始使用时，请务必对室内进行充分换气。虽然已使用甲醛扩散量较少的木材,但是仍可能含有甲醛残留物，可能导致化学物质过敏体质者及婴幼儿等出现过敏症状。尤其收纳婴幼儿的衣物等时，请放入塑料袋进行收纳。 ● 地面若为木地板等或榻榻米等时，请先铺设铺垫物等再使用。可防止地面损伤。 ● 将产品放置在床下移动时，请顺着安装滑轮的滑动方向移动。斜拉的话，可能会导致滑轮无法旋转而损伤地面。


请求(其他注意事项)	
	● 在长毛类的地毯上使用时，可能会不利于滑轮的转动。 ● 商品会有材料特有的气味。请尽量避免收纳衣物等容易沾染气味的物品。 ● 本商品请保持水平放置。在不平衡的状态下使用可能会造成商品变形、歪斜或损坏。 ● 请勿长期设置于高温场所(参考：温度在35℃以上)或干燥的场所(参考：湿度在30%以下)。否则可能会导致产品发生弯曲、变形或开裂等。 ● 请勿使商品直接受到阳光和照明直射，以及火炉和空调等暖气设备的热源及冷暖风直吹。否则可能导致弯曲或变形、开裂、变色等。使用暖气设备时，请保持适当的室内温湿度。 ● 请勿使用含有天那水等有机溶剂擦拭。否则可能导致变色或变形。

配件清单

配件		
① 侧板/长(有拉手)  × 1	② 侧板/长  × 1	③ 侧板/短(有拉手)  × 1
④ 侧板/短  × 1	⑤ 底框架(有孔)  × 2	⑥ 底框架  × 1
⑦ 底板  × 1	⑧ 分隔板  × 1	⑨ 滑轮  × 4
组装零件		
① 连接销  × 8	② 偏心轮螺母  × 8	③ 木螺丝  × 8

各部位名称





○ 部: 磁铁承座

※ 使用“床下收纳用盖”（另售）时需用到磁铁承座 (5 处)。


(完成图)

组装步骤(续)

- 3

请将①偏心轮螺母按照十字槽呈锐角一侧朝向连接销的方向调整，并放入④侧板 / 短的 2 个偏心轮螺母孔，将①偏心轮螺母用十字型螺丝刀完全拧紧。

※关于连接销与偏心轮螺母的安装方法的详情，请参考下列“连接销与偏心轮螺母的安装方法”。



连接销与偏心轮螺母的安装方法

请将连接销安装在部件的连接销安装孔。

请使用自备的十字型螺丝刀，按照顺时针方向旋转固定。

正确

空隙

过度插入

※ 连接销与偏心轮螺母的组合结构

内侧

外侧

连接销的头

偏心轮螺母十字槽 (长边) 的锐角部


按照右图，将此“开口部”对准连接销的头压入。

请使用自备的十字型螺丝刀，将偏心轮螺母按照顺时针方向拧转，与连接销切实相扣合。

规格上，偏心轮螺母孔设定得较紧。偏心轮螺母不易放入偏心轮螺母孔时，请用螺丝刀等用力按进去。

- 4

在侧板的沟槽上，请边滑动边将⑥底板组合上，按照图的位置将⑥底框架（有孔）与⑦底框架插入⑧侧板 / 长的木榫用孔。



注意

组装过程中如果展开③④侧板 / 短, ⑤侧板 / 长的连接销附近的木材部分可能会损坏。

※上述插图步骤 5 的内容。

③ 侧板/长


开裂!

③ 侧板/短


开裂

组装步骤(续)


5 请将③侧板 / 短 (有拉手) 如同步骤 **2** 进行组合插入, 装入并拧紧⑥偏心轮螺母。
接着, 从上方将④侧板 / 长 (有拉手) 分别对准④连接销、木棒, 按照 **3** 相同的步骤, 装入并拧紧⑥偏心轮螺母。



6 缓缓地翻转主体, 在⑤底框架 (有孔) 的 4 个位置, 使用③木螺丝安装①滑轮。
安装方法按照【横向】【纵向】区别进行。请参考下列插图, 选择安装方法。



7 翻转主体使其朝上, 将⑧分隔板对准沟槽插入即完成。
最后, 请再确认所有的偏心轮螺母是否完全拧紧。



使用方法

关于移动

<组装完成状态下移动时>

- 移动组装后的床下收纳时至少需有2名成人，请勿在地面上拖动，务必手扶床下收纳的下方同时抬起搬运。否则可能导致受伤或商品损坏、地面损伤。

<搬家等搬运时>

- 因搬家等原因需要移动时，请将其恢复组装前状态后再搬运。否则可能导致受伤或商品损坏、地面损伤。

关于报废

- 报废时，请按各地区官方规定的方式进行处理。

保养方法

保养/检查

- 在损坏、变形的状态下请勿使用。
- 请定期检查各部分是否有松动和摇晃，发现异常时请立即停止使用。否则可能导致商品损坏、受伤。
- 发现虫害时，请立即进行杀虫及防虫处理。若置之不理则可能导致虫害范围扩大。

木质部分的保养方法

- 涂装面的灰尘请用软布或掸子轻轻除去。若用硬布直接擦拭灰尘，则会造成留下细小伤痕的不良效果。一般使用软布干擦即可。
- 污垢严重时，请用浸透中性洗涤剂稀释液的布擦除污垢，再用清水浸湿的布将洗涤剂擦拭干净。然后用柔软的干布擦拭后使其自然风干。
- 请注意，长时间接触化学抹布可能会导致变色、表面剥落等现象。

金属部分的保养方法

- 日常保养时请用软布干擦。
- 污垢严重时，请用经过3~5%稀释的中性洗涤剂将布浸透后擦除污垢，再用清水浸湿的布将洗涤剂擦拭干净。然后用柔软的干布擦拭后使其自然风干。

使用注意事项

关于天然木材

- 本商品采用天然木材制作，木纹及色调等均具有天然木材特有的个体差异。因此，商品会在木纹及色调上存在差异，敬请谅解。
- 天然木材根据以下条件，可能会出现开裂或弯曲等，敬请注意。
 - ① 请尽量避免在阳光直射的场所使用。难以避开阳光直射时，请尽量使用窗帘等遮挡。
 - ② 请尽量避免在暖气设备附近使用。请务必不要在暖气设备风口处使用。
 - ③ 尤其是冬季的暖气会使室内极度干燥，因而导致天然木材发生开裂、弯曲。

关于甲醛对策

- 何谓甲醛
据说甲醛是导致病态建筑综合症的物质之一。是一种在常温下会气化的无色且具有刺激性气味的化学物质，除了家具以外，建筑材料、粘贴墙纸使用的粘合剂等中也均含有这种物质。由于会逐渐扩散，所以如果长时间滞留于被甲醛污染的室内环境，将会刺激眼睛、导致咽喉产生不适的刺激感。如果浓度过高，还可能导致呼吸困难。

使用注意事项(续)

- 请对房间进行换气。



注意

设置家具后，请务必对室内进行充分换气。否则可能导致化学物质过敏体质者及婴幼儿等出现过敏症状。

- 甲醛易在空气中扩散，故请在日常随时对室内进行充分换气。同时设置多款家具时，请尽量开大窗户，对室内进行充分换气。室内温度一旦升高，甲醛可能出现加速扩散的倾向，所以在夏季长时间门窗紧闭时，请务必确保充分换气。为了提高换气效率，建议同时打开多扇窗户，开启换气扇、电风扇、空气循环风扇。
- 致化学物质过敏体质的用户
- 除甲醛以外，其他导致病态建筑综合症的化学物质在容许量上也均因人而异。因此，即使浓度在室内浓度标准值(不会影响健康的甲醛室内浓度值)以下，也会存在过敏反应体质的用户。我们在目前的无印良品家具上已尽力使用甲醛扩散量较少的材料，但依然无法完全阻止扩散，故请多加注意。尤其收纳婴幼儿的衣物等时，请先放入塑料袋内再收纳。
- 一旦出现过敏症状，建议立即向医生咨询。
- 无印良品的家具在封装出厂时均已放入甲醛吸附/分解纸^(※)。
(※ 甲醛吸附/分解纸：与爱信精机株式会社共同开发)
- 甲醛在狭窄的空间内无处可逃，可能再次被材料吸附。因此，为了尽量降低送达顾客手中的商品所附甲醛浓度，我们在封包中放入了甲醛吸附/分解纸。
- ※ 封包中的“甲醛吸附分解纸”在运输等过程中性能已下降，故请作为可燃垃圾处理。

产品规格

产品名称	松木床下收纳盒/附隔板
产品尺寸	长 940 × 宽 625 × 高 180 mm
产品重量	约 6.5kg
用 途	收纳 (松木床 床下空间用)
承 重	约 10 kg (※ 整体平均负重时)
材 质	侧 板：天然木材 (松木) 底 板：纤维板 表面加工：硝化纤维素漆涂装
执行标准	GB/T 10357.5-2011
原 产 国	中国

联系方式

有关商品的咨询，请联系购买的代理商。

无印良品(上海)商业有限公司

注册地址：上海市静安区南京西路1601号35楼

电话：021-6375-6677

www.muji.com.cn