MUJI 無印良品

保存用

Retain for future reference

木製ベッド用下収納ボックス仕切り付き Wooden bed Storage box with divider

ラバーウッド材突板

Rubberwood veneer

組立・取扱説明書 User Guide

日本語

この度は本製品をお買い上げいただき、誠にありがとうございます。 1ページからお読みください。

English

Thank you for your purchase.

Read these instructions from Page 12.

4550583435318 Wooden bed Storage box with divider Rubberwood veneer

MUJI無印良品

保存用

木製ベッド用下収納ボックス仕切り付き

ラバーウッド材突板

組立・取扱説明書

この度は本製品をお買い上げいただき、誠にありがとうございます。 ご使用前に本書をよくお読みいただき、内容を理解した上で、正しく組み立て、正しくお使いください。 また、本書はいつでも確認できるように大切に保管してください。

もくじ	ページ
重要なお知らせ(安全上のご注意)	2~3
パーツリスト	4
各部の名称	4
組立方法	5~8
ご使用方法	9
お手入れ方法	9
ご使用に際して	10
製品仕様	11
お問い合わせ先	11

重要なお知らせ(安全上のご注意)

必ずお守りください。

本書には、お使いになる方や他の人への危害と財産への損害を未然に防ぎ、安全に正しくお使いいただくために、重要な内容を記載しています。

次の内容(表示・図記号)をよく理解してから本文をお読みになり、記載事項をお守りください。

●表示の説明

誤った使い方をしたときに生じる危害や損害の程度を区分して説明しています。

҈ 警告

使用者が死亡または重傷(※1)を負うことが想定される内容です。

注意

使用者が傷害 (※2) を負うことや 物的損害 (※3) が発生することが 想定される内容です。

●図記号の説明

お守りいただく内容を次の図記号で説明しています。(次は図記号の例です。)



してはいけない「禁止」の内容です。



実行しなければならない内容です。

- ※1 重傷とは、失明やケガ、やけど、骨折、中毒、感電などで後遺症が残るもの及び治療に入院、長期の 通院を要するものをさします。
- ※2 傷害とは、治療や入院や長期の通院を要しない、ケガ、やけどをさします。
- ※3 物的損害とは、家屋、家財にかかわる拡大損害をさします。

⚠ 警告



●製品で電化製品の電源コードを踏まないでください。コードが破損し、感電や火災の原因となります。

- ●不要になった梱包材は、幼児の手の届くところに置かないでください。頭からかぶるなどしたときに、口や鼻をふさぎ、窒息するおそれがあります。
- ●フィッティングパーツは幼児の手の届くところには置かないでください。また、なくさないでください。これらは小さく、誤飲してしまうと窒息などのおそれがあります。

注意

- ●組み立てが不完全なまま使用しないでください。固定部分がはずれてケガの原因になることが あります。
- ●製品の上にのらないでください。バランスをくずして転倒する、製品の破損によりケガをする おそれがあります。
- ●修理や改造はしないでください。製品の強度が弱くなり、ケガをするおそれがあります。



- ●破損や変形した状態では使用しないでください。製品の強度が弱くなりケガをするおそれがあります。
- ●指定の用途以外で使用しないでください。破損してケガをするおそれがあります。
- ●屋外では使用しないでください。変形や著しい劣化が起こり、ケガをする原因となります。
- ●収納部の1箇所に過度の荷重をかけないでください。また、無理に引っ張ったり、進行方向 以外に動かしたりしないでください。床にキズがつく原因となります。
- ●耐荷重を超えて物をのせたり、耐荷重内でも一部に片寄ってのせたりしないでください。変形や破損の原因となり、ケガをするおそれがあります。

⚠ 注意 (つづき)


- ●直射日光や冷暖房器具などの熱や風が製品に直接当たらないようにしてください。反りやゆがみ、割れ、変色などの原因になります。
- ●引出し内部の湿気対策を行ってください。収納部は湿気がこもりやすく、カビの原因となりうるので、市販の除湿剤などの使用や、定期的な換気も行ってください。
- ●製品を動かす際は、指や手をはさまないようにしてください。ケガをする原因となります。
- ●組み立ては、大人2人以上で行ってください。 1人で作業すると、転倒や破損、床をキズつける、 ケガの原因となります。
- ●組み立て時は、組み立てに必要なスペースを十分に確保し、敷物を敷いてください。床や既存の家具のキズ防止になります。
- ●部屋の換気は定期的に行ってください。特に下記の条件ではカビやダニが生じやすく健康を 害するおそれがあります。
 - ・湿度の高い季節
 - ・冬季など外気が冷たく、室内温度との差により結露が生じる場合
 - ・過度な加湿器の使用
- ●収納部は湿気がこもりやすく、カビの原因となりうるので、市販の除湿剤(湿気取り用)などの使用や、定期的な換気も行ってください。湿気は収納物や本体にカビが生じる原因となります。
- ●使い始める時は、室内の換気を十分にしてください。接着剤などに含まれるホルムアルデヒドが 残っている可能性があり、化学物質に敏感な体質の方や乳幼児などアレルギー症状をおこす おそれがあります。
- ●床面がフローリングなどやわらかい床の場合、カーペットなどを敷いて床材を保護してください。 キャスターによる床の凹み、キズの防止になります。
- ●製品をベッドの下に置いて動かす際は、取り付けたキャスターの進行方向に対し真っ直ぐに動かしてください。斜めに引っ張ると、キャスターが回転せずに床面がキズつく原因となります。

お願い(その他注意)


- ●毛足の長いじゅうたん類の上でのご使用はお避けください。キャスターの動きが悪くなることがあります。
- ●衣類やタオル類は直接収納しないでください。製品の素材特有のにおいが移る場合がありますので、においが移らない袋などに入れてから収納してください。
- ●平らで安定した場所に設置してください。不安定な場所での使用は、製品のゆがみ、破損の 原因になることがあります。
- ●高温な場所、乾燥した場所で長期間設置しないでください。製品の反りやゆがみ、割れなどの原因になります。
- ●シンナーなどの有機溶剤や漂白剤などの薬剤でお手入れしないでください。変色や変形の原因となります。
- ●塗装やプラスチック部にアルコールを含む消毒剤などが垂れた場合にはすぐにふき取ってください。また、過度なアルコール消毒剤でのふき掃除はお避けください。表面が変色や変質することがあります。
- ●組み立ての際は、手袋などをつけて作業してください。思わぬケガの防止になります。



パーツリスト




各部の名称




注意

- 組み立ては、大人2人以上で行ってください。1人で作業すると、転倒や破損、床をキズつける、 ケガの原因となります。
- ○組み立てには電動工具は使用しないでください。無理な負荷がかかると、製品破損によりケガをするおそれがあります。
- 組み立て時は、組み立てに必要なスペースを十分に確保し、敷物を敷いてください。床や既存の家具のキズ防止になります。
- 組み立て後、1週間程度経過しましたら、ボルトを締め直してください。使い始めはゆるんでいる場合があり、そのまま使用すると破損、ケガの原因となります。
- 1 はじめに、組み立てる場所に敷物を敷いて床面を保護してください。 ④側板・長を図のように置き、ジョイントピン取付穴に@ジョイントピンを10ヶ所(1枚につき5ヶ所)を ねじ込んでください。

ジョイントピンは、はじめに手でねじ込んでおき、それからお手持ちの $\underline{^{\prime\prime}}$ ラスドライバーで締め込むと容易です。





- ※ジョイントピンの取り付け時の注意については次ページの
 - 「ジョイントピンとカムナットの取り付け方」をご参照ください。
- ※白いプラスチックパーツが埋め込んである穴がジョイントピン取付穴で、その他は木ダボ用穴です。




組立方法(つづき)

- ⑤カムナットを十字溝の鋭角部がジョイントピンの方向を向くように調整しながら®側板・短のカムナット 用穴に2ヶ所入れ、⑥カムナットをプラスドライバーでしっかり締めてください。
 - ※ジョイントピンとカムナットの取り付け方の詳細については、下記「ジョイントピンとカムナットの取り付け方」をご参照ください。






- ① ⑧側板・短の溝に合わせ、⑥底板をスライドさせながら入れ込みます。
 - ② ①底フレーム (センター) のカムナット用穴を①底板側に向けて中央に差し込みます。 次に、②底フレーム (穴有) を下図のように両側に、④側板・長のダボ穴に差し込みます。





注意

(1)




- ① ⑧側板・短を 2 同様に差し込み、3 同様の手順でのカムナットを入れて締めてください。
 - ② 上からA側板・長を **2** 同様に差し込み、@ジョイントピン、木ダボそれぞれを合わせながら **3** 同様の手順でのカムナットを入れて締めてください。






上からA側板・長をはめ込む際に

- 1. 左右の側板が広がらないように 押さえ、底板が溝からはずれない ようにしてください。
- 2. ©底フレーム (穴有) と®底フレーム (センター) をまっすぐに立て® 側板・長の全ての穴にそれぞれの木 ダボ、 @ ジョイントピンが 正確に入るように差し込んでください。



② ②底フレーム(センター)のカムナット用穴に 3 同様の手順で⑤カムナットを入れて締めてください。





組立方法(つづき)


7

本体を裏返した状態で静かに置き、©底フレーム (穴有) の4ヶ所に©木ネジを使ってガイド穴に合わせて ⑥キャスターを取り付けてください。

取り付け方は【横使い】【縦使い】で異なります。下のイラストを参照し、取り付けを選んで取り付けてください。








➡:進行方向

本体を表向きにして、

同仕切り板を溝に合わせて差し込み完成です。

最後に、もう一度全てのカムナットがしっかり締めつけてあるかを確認してください。



ご使用方法

移動について

〈組み立てた状態で動かす場合〉

●組み立てた製品をベッド下から他の場所などへ移動する時は、床面を引きずらず、必ずベッド下収納の下に両手を掛け、大人2人以上で同時に持ち上げて運んでください。ケガや破損、床面へのキズの原因となります。

〈引越しなどで運ぶ場合〉

●移動をする際は、組み立て前の状態に戻してから運んでください。ケガや製品の破損、床面がキズつくおそれがあります。

廃棄について

●廃棄の際は、居住地域の自治体のルールに従い、処分してください。

お手入れ方法

保守・点検

- ●破損や変形した状態では使用しないでください。製品の強度が弱くなりケガをするおそれがあります。
- ●各部にグラつきや破損がないか定期的に点検し、異常が認められたら使用を中止してください。そのまま使用すると、ケガや破損の原因となります。
- ●害虫を発見した場合は、直ちに殺虫や防虫処理をしてください。放置すると虫害が拡大するおそれがあります。

木部のお手入れ

- ●塗装面のほこりはやわらかい布または、はたきで軽く払ってください。
- ●長時間、化学雑巾を接触させたままにしないでください。変色や表面がはがれる原因となります。

金属部のお手入れ

- ●通常のお手入れは、やわらかい布で乾ぶきしてください。ほこりなどはブラシや掃除機(弱設定)などで取り 除いてください。
- ●汚れのひどい時は、3~5%に薄めた中性洗剤を浸した布で汚れを落とし、その後、水で浸した布で洗剤分をよくふき取ってください。次に乾いた布で軽くふいた後、自然乾燥させてください。

ご使用に際して

天然木について

- ●本製品は天然木 (突板) を使用しているため、製品ごとに天然木材特有の個体差 (木目や色合いなど) がありますが、あらかじめご了承ください。
- ●天然木(突板)は下記の条件により、割れや反りなどが発生することがありますので、ご注意ください。
 - ・直射日光の当たる場所でのご使用は出来る限りお避けください。どうしても直射日光が当たる場合は、カーテンなどで出来る限り避けてご使用ください。
 - ・冷暖房器具の近くでのご使用は出来る限り避け、必ず冷暖房の風が直接当たらないようにしてください。
 - ・特に冬の暖房による室内の極端な乾燥は、天然木の割れ、反りを発生させる原因となります。

ホルムアルデヒドの対策について

●ホルムアルデヒドとは

シックハウス症候群の原因物質の一つといわれています。常温で気化する、無色で刺激臭のある化学物質で、 家具はもとより建築資材・壁紙を貼る接着剤などに含まれています。少しずつ放散されるため、ホルムアルデヒド に汚染された室内に長時間いると目がチカチカしたり、喉に不快な刺激を感じたりすることがあります。濃度が 高いと呼吸困難を起こす場合もあります。

●お部屋の換気について



ホルムアルデヒドは空気中に放散されやすいので、普段からこまめに室内の換気を行うようにしてください。特に複数の家具を同時に設置した場合は、窓をできるだけ広く開け、十分な換気を行ってください。室内の温度が高くなると、ホルムアルデヒドは多く放散される傾向がありますので、夏季に室内を長時間閉め切っている場合は、特に換気をするようにご注意ください。換気効率をあげるため複数の窓を開ける、換気扇、扇風機、サーキュレーターの利用をおすすめします。

●化学物質に敏感な体質のお客さまへ

ホルムアルデヒドに限らず、シックハウス症候群に該当する化学物質の許容量には個人差があり、室内濃度指針値(健康上望ましいとされるホルムアルデヒドの室内濃度値)以下の濃度であっても反応する体質の方もいらっしゃいます。現段階の無印良品の家具においても、ホルムアルデヒド放散量の少ない材料を極力使用しておりますが、まったく放散されないわけではありませんので、ご注意ください。アレルギー症状が起きた際は、医師にご相談されることをおすすめします。

●ホルムアルデヒド吸着・分解シートについて

狭い空間ではホルムアルデヒドは逃げ場がなく、材料に再吸着する可能性がありますので、お手元に届くまで少しでもホルムアルデヒド濃度を低下させるために、無印良品の家具には、ホルムアルデヒド吸着・分解シートを同梱しています。

※同梱の「ホルムアルデヒド吸着・分解シート」は効力が落ちておりますので、燃えるゴミとして処分してください。

製品仕様

品 名	木製ベッド用下収納ボックス仕切り付き
規格	ラバーウッド材突板
J A N	4550583435318
製品寸法	幅945×奥行625×高さ185 mm
製品重量	約9 kg
耐 荷 重	約10 kg(全体で均等に荷重をかけた場合)
用途	収納(木製ベッド ベッド下スペース用)※
材質	側 板: 天然木化粧繊維板(外側 ラバーウッド材突板、内側 人工突板)底 板: プリント紙化粧繊維板 仕切り板: MDF 底フレーム: 天然木(パイン材) キャスター: ポリプロピレン 表面加工: 側板 ラッカー塗装 仕切り板 アクリル樹脂UV塗装
原産国	ベトナム

※対応するベッドについて

ベッドの種類によってはご使用いただけない製品がありますので、ご注意ください。 詳細はお買い上げ店舗もしくはお客様相談室までお問い合わせください。

お問い合わせ先

製品のお問い合わせは、お買い上げの販売店もしくは下記お客様相談室までご連絡ください。

株式会社 良品計画

お客様相談室でんわ

00.0120-14-6404

Retain for future reference

MUJI 無印良品

Wooden bed Storage box with divider

Rubberwood veneer

User Guide

Thank you for your purchase.

Read this User Guide before use to ensure correct assembly and use of the product.

Store this guide in an easily accessible place for future reference.

Table of Contents	Pages
Important Information (Safety Advice)	13 - 14
Parts	15
Part Names	15
Assembly Instructions	16 - 19
Directions for Use	20
Care Instructions	20
General Notes	21
Specifications	22
Contact Information	22

Important Information (Safety Advice)

This User Guide contains important information for safe use of the product in order to prevent harm to users and other individuals as well as damage to property.

Please note the following contents (indications and graphic symbols) before reading the main contents of this guide and follow the given instructions.

Explanations of Indications

The extent of injury and damage that may arise when the product is used incorrectly is classified and explained with the following symbols.



Indicates a hazard with a level of risk which, if not avoided, could result in death or serious injury*1 to the user.



Indicates a hazard with a level of risk which, if not avoided, could result in injury*2 to the user or property damage.*3

Explanations of Graphic Symbols
 Instructions are given in the form of the following graphic symbols.

 (Examples of graphic symbols are as follows.)



Actions that are prohibited.



Actions that must be taken.

- *1 "Serious injury" indicates injuries, such as blindness, traumas, burns, bone fractures, poisoning, or electric shocks, that have long-term effects and require hospitalisation and/or long-term hospital visits for treatment.
- *2 "Injury" indicates traumas or burns that do not require hospitalisation or long-term hospital visits for treatment.
- *3 "Property damage" indicates extended damage that involves the house or household property.

! WARNING



- Do not place on the power cord of an electrical appliance. Doing so may damage the cord, leading to an electric shock or a fire.
- Do not leave unnecessary packaging materials within reach of small children. Children may accidentally pull them over their head, cover their mouth and/or nose and suffocate.
- Do not keep the fitting parts within reach of small children, and do not lose them. Children may accidentally swallow small parts and choke.

CAUTION

- Do not use unless fully assembled. Doing so may cause the fixed parts to come off and lead to injury.
- Do not sit/stand on the product. Doing so may cause you to fall, or the product to become unstable and fall over or become damaged, leading to injury.
- Do not attempt to repair or modify. Doing so reduces the strength of the product and may lead to injury.



- Do not use if damaged or deformed. Doing so reduces the strength of the product and may lead to injury.
- Do not use for other than its intended purpose. Doing so may cause damage, resulting in injury.
- Do not use outdoors. Doing so may cause deformation or severe degradation, resulting in injury.
- Do not place excessive load only on one side of the storage section. Also, do not forcibly pull or move the product in directions other than intended. Doing so may cause scratches on the floor.

ACAUTION (Continued)




- Do not place anything exceeding the withstand load or anything only on one side even if it is within the withstand load. Doing so may cause product deformation or damage and lead to injury.
- Avoid exposure to direct sunlight and heat or air from heating and cooling appliances such as an air conditioner and a heater. Otherwise it may cause warping, distortion, cracking, or discolouration.
- Take measures to reduce moisture inside the product. The storage section is likely to accumulate moisture and cause mould infestation. Use dehumidifying agents and regularly ventilate the product.
- Be careful not to get your fingers and hands caught when moving the product. Otherwise, this may result in injury.
- The product must be assembled by at least two adults. Assembling alone may cause tip-over, damage, floor scratches, and/or injury.
- Secure enough space and place an underlay when assembling the product. This prevents the floor and other furniture from scratches.
- Regularly ventilate the room. Especially under the following conditions, infestation of mould and mites may occur, leading to health hazards.
 - Humid season
 - When condensation occurs due to difference between indoor and outdoor temperatures (e.g. in winter)
 - Excessive use of a humidifier
- The storage section is likely to accumulate moisture and cause mould. Use commercially available dehumidifying agents and regularly ventilate to keep it dry. Moisture may cause mould on stored items or the product itself.
- Ventilate the room well at the early stage of use. Formaldehyde contained in adhesive may still remain, and those with chemical sensitivity and small children may experience allergic reactions.
- Place a rug (or any other underlay) under the product to protect the floor when using the product on a soft flooring material. This prevents the floor from dents and scratches caused by the castors.
- When placing the product under a bed, be sure to move it in the same direction as that of the castors. If it is pulled diagonally, the castors cannot roll and may scratch the floor.

Note (Other Caution)


- Avoid use on high pile carpet. The castors may not move smoothly on it.
- Do not directly store clothing and towels. Keep them in bags to prevent transfer of the distinctive smell from the product.
- Use the product on a flat and stable surface. Otherwise it may cause distortion or damage.
- Do not place in locations with high temperatures or low humidity for a long time. Doing so may cause warping, distortion or cracking.
- Do not use bleach or organic solvents, such as thinner, for cleaning. Doing so may cause discolouration or deformation.
- Wipe off immediately when alcohol-containing disinfectant is spilled on the coating or plastic parts. Avoid wiping excessively with alcohol disinfectant. Otherwise it may cause discolouration or deterioration of the surface.
- Wear gloves during assembly of the product. Doing so prevents unexpected injury.



Parts



Part Names




Assembly Instructions




- The product must be assembled by at least two adults. Assembling alone may cause tip-over, damage, floor scratches, and/or injury.
- On not use power tools to assemble the product. Placing excessive load on the product may cause it to become damaged and lead to injury.
- Secure enough space and place an underlay when assembling the product. This prevents the floor and other furniture from scratches.
- Retighten all the bolts approximately one week after the assembly. They may be loose at the start of use, and continued use under this condition can lead to damage and/or injury.
- First, place a protective underlay on the floor where the product will be assembled. Place (a) side boards/long as shown in the image below and screw (a) joint pins into the ten joint pin mounting holes (five holes per board).

For easier insertion, it is recommended that the joint pins are initially screwed in by hand and then fully tightened with your <u>crosshead screwdriver</u>.




- * Refer to "Mounting the Joint Pin and Cam Nut" section on the next page for precautions when mounting the joint pins.
- * Holes with white plastic anchors embedded are joint pin mounting holes. Other holes are wood dowel holes.
- Insert the wood dowels into the wood dowel holes and the joint pins into the joint pin holes on (A), (B) side boards.



Assembly Instructions (Continued)

- 3
- Insert ⓑ cam nuts into the two cam nut holes on ⑧ side board/short, adjusting the cam nuts so that the pointed end of the cross groove points the direction of the joint pin. Tighten ⓑ cam nuts firmly with a crosshead screwdriver.
- * For details on how to mount the joint pin and cam nut, see "Mounting the Joint Pin and Cam Nut" section below.




Mounting the Joint Pin and Cam Nut



Set the joint pin on the joint pin mounting hole.







* Joint Structure of Joint Pin and Cam Nut



Insert the cam nut while aligning its "notch" with the joint pin head as shown in the image below.



Pointed end of the cross groove on the cam nut




Crosshead Screwdriver

Firmly secure the joint pin by turning the cam nut clockwise with your crosshead screwdriver.

The cam nut holes are made tight. If you have trouble fitting the cam nut into the cam nut hole, use a screwdriver, etc. and push the cam nut firmly in place.

- 4
- ① Fit © bottom board in the groove on ® side board/short, and slide it down to set in place.
- ② Insert the dowels on ① bottom frame (centre) into the dowel holes in the centre of A side board/long with the cam nut holes facing ⑤ bottom board.

Then insert the dowels on © bottom frames (with holes) into the dowel holes on both sides of (A) side board/long as shown in the image below.





Assembly Instructions (Continued)

Be careful not to move ® side boards/short outward during assembly. Otherwise this may cause the wooden parts near the joint pins on A side board/long to break. A Side Board/Long * The image above illustrates the step 5.

- 1 Insert ® side board/short as in the step 2, then insert and tighten ® cam nuts in the same way as the step 3.
 - 2 Attach (A) side board/long from above by inserting (a) joint pins and wood dowels into the holes as in the step [2]. Then insert and tighten (b) cam nuts in the same way as the step [3].


Crack






Follow the points below when attaching (A) side board/long from above:

- hold the side boards in place to prevent them from moving outwards and make sure the bottom board does not come out of the groove, and
- 2. stand © bottom frames (with holes) and © bottom frame (centre) upright and place A side board/long so that all the wood dowels and a joint pins are properly inserted into the holes.



B Side Board/Short

Insert ⓑ cam nuts into the cam nut holes on ⓒ bottom board and ⑤ bottom frame (centre) and tighten them in the same way as the step 3.





Assembly Instructions (Continued)


7

Gently place the unit upside down. Align © castors with the four guide holes on © bottom frames (with holes) and fix them with © wood screws.

The orientation of the castors will differ depending on whether the product will be used lengthways or crossways. Refer to the images below and select the way you prefer to attach them.








: Direction of Movement

Turn the unit over, insert © divider into the grooves to complete the assembly. Check that all the cam nuts are fully tightened.



Directions for Use

Moving the Product

<Moving the Fully Assembled Product>

• Do not drag the assembled product on the floor when moving it to a place outside the under bed space. It must be lifted and carried by two or more adults holding the bottom side with both hands. Otherwise it may cause injury, damage to the product or scratches to the floor.

<Transporting the Product for a Home Move, etc.>

• When transporting the product, put it back into the pre-assembly state beforehand. Not doing so may cause injury, product damage or scratches on the floor.

Disposal

To dispose of the product, follow the rules implemented by your local government.

Care Instructions

Maintenance and Inspection

- Do not use if damaged or deformed. Doing so reduces the strength of the product and may lead to injury.
- Regularly check for any looseness or damage in all parts, and stop use if any abnormalities are found. Continued use under this condition may cause injury or damage.
- Take insecticidal measures immediately if any type of pest is found. If left untreated, pest damage may worsen.

Maintenance for Wooden Parts

- Gently wipe off dust from coated surfaces using a soft cloth or duster.
- Do not leave a chemically treated cloth in contact with the product for a long time. Doing so may cause discolouration or peeling of the surface material.

Maintenance for Metal Parts

- For regular cleaning, wipe with a soft, dry cloth. Remove dust with a brush or a vacuum cleaner (on low setting).
- If the product is heavily soiled, clean it with a cloth soaked in 3-5% neutral detergent solution and wipe off any detergent residue with a damp cloth. Then gently wipe with a dry cloth and let the product dry naturally.

General Notes

Care Tips for Natural Wood Products

- As this product is manufactured using natural wood (veneer), there are individual differences (grain, colour, etc.) unique to natural wood.
- Cracking and warping may occur in natural wood (veneer) under the following conditions.
 - Avoid use in locations exposed to direct sunlight. If exposure to direct sunlight is unavoidable, use curtains, etc. to reduce the amount of sunlight.
 - Avoid use near heaters or air conditioners and make sure that the air from heater or air conditioner does not come into direct contact with the product.
 - In particular, use of heating appliances during winter causes the room to become extremely dry and may lead to cracking or warping of natural wood.

Formaldehyde Countermeasures

What is Formaldehyde?

Formaldehyde is said to be a cause of sick house syndrome. It is a colourless, pungent-smelling chemical that vaporises at room temperature, often found in furniture, building materials, wallpaper adhesives, etc. As it is gradually released into the air, spending a long time in a room contaminated with formaldehyde can result in eye/throat irritation. Also, exposure to a high concentration of formaldehyde may cause breathing difficulties.

Room Ventilation



• Ventilate the room well when installing the furniture. Some individuals sensitive to chemicals and small children may experience allergic symptoms.

Be sure to frequently ventilate the room on a regular basis as formaldehyde is released into the air. Especially when installing multiple pieces of furniture at the same time, open the windows wide enough to allow adequate ventilation. Formaldehyde release tends to increase with temperature rise of the room. Therefore, be sure to ventilate well after the room has been closed up for a long time during summer. It is recommended that you open multiple windows and use a ventilation fan or an air circulator to increase ventilation efficiency.

For Individuals Sensitive to Chemicals

There are individual differences in resistance to chemicals that are related to sick house syndrome other than formaldehyde. Therefore, even if the actual concentration in the room is lower than the indoor concentration guideline value (acceptable safe level of formaldehyde indoors), some people may react to formaldehyde. MUJI furniture are made with materials that contain as little formaldehyde as possible, but note this does not guarantee that they are completely formaldehyde-free. It is recommended that you seek medical attention if you experience any allergic symptoms.

Formaldehyde Adsorption/Decomposition Sheet

Formaldehyde is readsorbed onto materials when there is nowhere for it to dissipate in a confined space. Therefore, a formaldehyde adsorption/decomposition sheet is included in the packaging to reduce formaldehyde concentration as much as possible before the product reaches the customer.

* The effect of the sheet will be diminished by the time the product reaches the customer. Dispose of the sheet as burnable waste after unpackaging.

Specifications

Product Name	Wooden bed Storage box with divider	
Specification	Rubberwood Veneer	
JAN	4550583435318	
Product Dimension	W945 × D625 × H185 mm	
Product Weight	Approx. 9 kg	
Withstand Load	Approx. 10 kg (when load is evenly distributed)	
Usage	Storage (for space under the Wooden bed)*	
Material	Side Board : Natural Wood Laminated Fibre Board	
Place of Origin	VIETNAM	

^{*} Applicable Beds

This product may not be applicable depending on the type of the bed.

Please contact the store of purchase for details.

Contact Information

For enquiries regarding the product, please contact the store of purchase.