

パイン材ユニットシェルフ・棚板ワイド・86cm幅用
パイン材ユニットシェルフ・棚板ワイド・58cm幅用
パイン材ユニットシェルフ・棚板・86cm幅用
パイン材ユニットシェルフ・棚板・58cm幅用
パイン材ユニットシェルフ・奥行25cmタイプ・棚板・86cm幅用
パイン材ユニットシェルフ・奥行25cmタイプ・棚板・58cm幅用

PINE UNIT SHELF / WIDE TYPE / SHELF BOARD (W86 cm)
PINE UNIT SHELF / WIDE TYPE / SHELF BOARD (W58 cm)
PINE UNIT SHELF / SHELF BOARD (W86 cm)
PINE UNIT SHELF / SHELF BOARD (W58 cm)
PINE UNIT SHELF / D25CM / SHELF BOARD (W86 cm)
PINE UNIT SHELF / D25CM / SHELF BOARD (W58 cm)

組立・取扱説明書

User Guide

日本語

この度は本製品をお買い上げいただき、誠にありがとうございます。
1ページからお読みください。

English

Thank you for your purchase.
Read these instructions from Page 10.

4547315262137 PINE UNIT SHELF / WIDE TYPE / SHELF BOARD
4547315262120 PINE UNIT SHELF / WIDE TYPE / SHELF BOARD
4547315262113 PINE UNIT SHELF / SHELF BOARD
4547315262106 PINE UNIT SHELF / SHELF BOARD
4547315262090 PINE UNIT SHELF / D25CM / SHELF BOARD
4547315262083 PINE UNIT SHELF / D25CM / SHELF BOARD

2023 / 10 / 4

333666151-001-005-JPEN

- パイン材ユニットシェルフ・棚板ワイド・86cm幅用
- パイン材ユニットシェルフ・棚板ワイド・58cm幅用
- パイン材ユニットシェルフ・棚板・86cm幅用
- パイン材ユニットシェルフ・棚板・58cm幅用
- パイン材ユニットシェルフ・奥行25cmタイプ・棚板・86cm幅用
- パイン材ユニットシェルフ・奥行25cmタイプ・棚板・58cm幅用

組立・取扱説明書

この度は本製品をお買い上げいただき、誠にありがとうございます。
ご使用前に本書をよくお読みいただき、内容を理解した上で、正しく組み立て、正しくお使いください。
また、本書はいつでも確認できるように大切に保管してください。

もくじ	ページ
重要なお知らせ（安全上のご注意）	2～3
パーツリスト	4
各部の名称	4
組立方法	5
ご使用方法	6～7
お手入れ方法	7
ご使用に際して	8
製品仕様	9
お問い合わせ先	9

重要なお知らせ (安全上のご注意)

必ずお守りください。

本書には、お使いになる方や他の人への危害と財産への損害を未然に防ぎ、安全に正しくお使いいただくために、重要な内容を記載しています。

次の内容（表示・図記号）をよく理解してから本文をお読みになり、記載事項をお守りください。

●表示の説明

誤った使い方をしたときに生じる危害や損害の程度を区分して説明しています。

 警告 使用者が死亡または重傷(※1)を負うことが想定される内容です。	 注意 使用者が傷害(※2)を負うことや物的損害(※3)が発生することが想定される内容です。
---	--

●図記号の説明

お守りいただく内容を次の図記号で説明しています。(次は図記号の例です。)

 してはいけない「禁止」の内容です。	 実行しなければならない内容です。
---	--

※1 重傷とは、失明やケガ、やけど、骨折、中毒、感電などで後遺症が残るもの及び治療に入院、長期の通院を要するものをさします。

※2 傷害とは、治療や入院や長期の通院を要しない、ケガ、やけどをさします。

※3 物的損害とは、家屋、家財にかかわる拡大損害をさします。

 警告	
 禁止	<ul style="list-style-type: none">●上部に重たい物は置かないでください。地震などで物が落ちたり、棚ごと倒れたりして、ケガをするおそれがあります。●ストーブなど引火するおそれのある物を近くに置かないでください。火災の原因になります。●製品で電化製品の電源コードを踏まないでください。コードが破損し、感電や火災の原因となります。
 行う	<ul style="list-style-type: none">●基本セット(※)もしくは追加用帆立(単品)に付属の組立・取扱説明書をよく読み正しくお使いください。組み立てた製品に対し、お使いになる上での注意が記載されており、ケガを防ぎ安全にお使いいただくために重要です。

※パイン材ユニットシェルフの帆立、棚板、クロスバーがセットになった製品。

 注意	
 禁止	<ul style="list-style-type: none">●棚板のメタルガイド(端部)を直接触らないでください。指や手を切るおそれがあります。●組み立てが不完全なまま使用しないでください。固定部分がはずれてケガの原因になることがあります。●移動させる際は、製品を引きずらないでください。製品破損や床面へのキズ、ケガしたりするおそれがあります。●奥行寸法の異なる帆立に取り付けしないでください。正しく固定できず、棚板などが落下し、ケガをするおそれがあります。●指定の用途以外で使用しないでください。破損してケガをするおそれがあります。●耐荷重を超えて物をのせたり、耐荷重内でも一部に片寄ってのせたりしないでください。変形や破損の原因となり、ケガをするおそれがあります。●修理や改造はしないでください。製品の強度が弱くなり、ケガをするおそれがあります。●屋外では使用しないでください。変形や著しい劣化が起こり、ケガをする原因となります。

⚠ 注意



行う

- 棚板取り付け時は、取り付け部分をよく確認し、指や手をはさまないように設置してください。
- 棚板のメタルガイドは他の家具や壁などに当たらないようにしてください。製品破損やキズ、ケガしたりするおそれがあります。
- 棚板とクロスバーは、取り付ける帆立にあった必要数を取り付けてください。必要数以下だと強度が低下しケガをする原因となります。
- 棚板は必ず一番上と一番下に取り付けるようにしてください。最上・下段に棚板が取り付けられていないと強度が低下しケガをする原因となります。
- 使い始める時は、室内の換気を十分にしてください。接着剤などに含まれるホルムアルデヒドが残っている可能性があり、化学物質に敏感な体質の方や乳幼児などアレルギー症状をおこすおそれがあります。
- 組み立ては、大人2人以上で行ってください。1人で作業すると、転倒や破損、ケガをしたり、床をキズつける原因となります。
- 移動させる際は、収納物を取り除き、大人2人以上で移動させてください。1人で無理に移動させると、破損、ケガをするおそれがあります。
- (引越しなどで) 移動をする際は、組み立て前の状態に戻してから運んでください。ケガや製品の破損、床面がキズがつくおそれがあります。
- 各部にグラつきや破損がないか定期的に点検し、異常が認められたら使用を中止してください。そのまま使用すると、ケガや破損の原因となります。

お願い (その他 注意)

- 高温な場所、乾燥した場所で長期間設置しないでください。製品の反りやゆがみ、割れなどの原因になります。
- 直射日光や冷暖房器具などの熱や風が製品に直接当たらないようにしてください。反りやゆがみ、割れ、変色などの原因になります。
- 製品に直接熱い物や濡れた物を置かないでください。反りやゆがみ、割れ、変色、カビなどの原因となります。
- 棚板の上にビニール製品(塩化ビニル樹脂など)を直接、長期間置かないでください。変色したり、塗装がはがれる原因となります。
- シンナーなどの有機溶剤や漂白剤などの薬剤でお手入れしないでください。変色や変形の原因となります。
- 開封後の梱包材は、居住地の自治体のルールに従い、処分してください。

パーツリスト

棚板ワイド・86cm幅

棚板ワイド・58cm幅

棚板・86cm幅

棚板・58cm幅

奥行25cm・棚板・86cm幅


奥行25cm・棚板・58cm幅

共通

※各リストは共通です。


パーツ

① 棚板 ×1




棚板ワイド・86cm幅

棚板ワイド・58cm幅




棚板・86cm幅

棚板・58cm幅




奥行25cm・棚板・86cm幅



奥行25cm・棚板・58cm幅

各部の名称



(完成図)

※イラストには、**棚板・86cm幅**を使用しています。

組立方法

棚板ワイド・86cm幅

棚板ワイド・58cm幅

棚板・86cm幅

棚板・58cm幅

奥行25cm・棚板・86cm幅

奥行25cm・棚板・58cm幅

共通

※各リストは共通です。

※イラストには **棚板・86cm幅** を使用しています。




注意

- ❗ 組み立ては、大人2人以上で行ってください。1人で作業すると、転倒や破損、ケガをしたり、床をキズつける原因となります。
- ❗ 組み立てには電動工具は使用しないでください。無理な負荷がかかると、製品破損によりケガをするおそれがあります。
- ❗ 組み立て後、1週間程度経過しましたら、ボルトを締め直してください。使い始めはゆるんでいる場合があり、そのまま使用すると破損、ケガの原因となります。
- ❗ 組み立て時は、組み立てに必要なスペースを十分に確保し、敷物を敷いてください。床や既存の家具のキズ防止になります。

棚板の取り付け方

●ユニットシェルフ全体の組み立て方法についてはパイン材ユニットシェルフの基本セットもしくは追加用帆立(単品) 付属の組立・取扱説明書をよく読み正しく組み立ててください。

- 1** 「棚板の入れ方」を参考に、下の方に設置する棚板から取り付けます。
 ※収納する物の高さに応じて棚板の取り付け位置を決めてください。



棚板の入れ方

まず、正面から棚板を斜めの状態で帆立の内側に入れます。

帆立

その後、手前側のメタルガイドを帆立の横棧にある溝にはめ込みます。次に、奥側のメタルガイドも同様に溝にはめ込みます。
 ※少し力を入れてはめ込んでください。

メタルガイド
横棧の溝

お願い (その他 注意) 必要に応じた数のクロスバーと棚板をご使用ください。

注意

- ❗ メタルガイドの端部を素手で触らないでください。ケガをするおそれがあります。
- ❗ 棚板を取り付ける際、取り付け部(帆立の端とメタルガイド)の周囲に指や手を置かないでください。指や手をはさみケガをするおそれがあります。

連結して取り付ける場合

●基本的には棚板の入れ方と同じ組立手順です。まず、棚板を帆立の内側に入れます。その後、メタルガイドを溝に差し込む際に、メタルガイドが差し込まれていない部分を使用します。手前側、奥側の順番でメタルガイドを帆立の横棧にある溝にはめ込みます。

※上から見た図

ご使用方法

使用する棚板とクロスバーの必要数について



❗ 安全にご使用いただくため、棚板とクロスバーは決められた数と位置で必ずご使用ください。

● 棚板とクロスバーは、帆立のサイズに応じた必要数を使用してください。

棚板

大サイズ…3枚以上
中サイズ…3枚以上
小サイズ…2枚以上


クロスバー

大サイズ…2つ
中サイズ…1つ
小サイズ…1つ


● 帆立の一番上と一番下の位置には、必ず棚板を使用してください。




正しい使い方の例



一番上と一番下の位置に棚板を使用していない例



棚板の数が必要数に足りていない例



※イラストは、帆立・大サイズを使用しています。


収納する際のご注意



❗ 上部に重たい物は置かないでください。地震などで物が落ちたり、棚ごと倒れたりして、ケガをするおそれがあります。



不安定になりやすい使い方（例）



ご使用方法（つづき）

移動について

〈組み立てた状態で動かす場合〉

- 物をのせたままで棚板を持ち上げないでください。収納物が破損、ケガをするおそれがあります。
- 移動させる際は、製品を引きずらないでください。製品破損や床面へのキズ、ケガしたりするおそれがあります。

〈引越しなどで運ぶ場合〉

- 移動をする際は、組み立て前の状態に戻してから運んでください。ケガや製品の破損、床面がキズがつくおそれがあります。

廃棄について

- 廃棄の際は、居住地域の自治体のルールに従い、処分してください。

お手入れ方法

保守・点検

- 破損や変形した状態では使用しないでください。
- 各部にグラつきや破損がないか定期的に点検し、異常が認められたら使用を中止してください。そのまま使用すると、ケガや破損の原因となります。
- 害虫を発見した場合は、直ちに殺虫や防虫処理をしてください。放置すると虫害が拡大するおそれがあります。

木部のお手入れ

- 汚れのひどい時は、3～5%に薄めた中性洗剤を浸した布で汚れを落とし、その後、水で浸した布で洗剤分をよくふき取ってください。次に乾いた布で軽くふいた後、自然乾燥させてください。
- 長時間、化学雑巾を接触させたままにしないでください。変色したり、表面がはがれる原因となります。

金属部のお手入れ

- 通常のお手入れは、やわらかい布で乾ぶきしてください。
- 汚れのひどい時は、3～5%に薄めた中性洗剤を浸した布で汚れを落とし、その後、水で浸した布で洗剤分をよくふき取ってください。次に乾いた布で軽くふいた後、自然乾燥させてください。

ご使用に際して

天然木製品について

- 本製品は天然木を使用しているため、製品ごとに天然木材特有の個体差（木目や色合いなど）がありますが、あらかじめご了承ください。
- 天然木は下記の条件により、割れや反りなどが発生することがありますので、ご注意ください。
 - ・直射日光の当たる場所でのご使用は出来る限りお避けください。どうしても直射日光が当たる場合は、カーテンなどで出来る限り避けてご使用ください。
 - ・冷暖房器具の近くでのご使用は出来る限り避け、必ず冷暖房の風が直接当たらないようにしてください。
 - ・特に冬の暖房による室内の極端な乾燥は、天然木の割れ、反りを発生させる原因となります。

ホルムアルデヒドの対策について

- ホルムアルデヒドとは
シックハウス症候群の原因物質の一つといわれています。常温で気化する、無色で刺激臭のある化学物質で、家具はもとより建築資材・壁紙を貼る接着剤などに含まれています。少しずつ分散されるため、ホルムアルデヒドに汚染された室内に長時間いると目がチカチカしたり、喉に不快な刺激を感じたりすることがあります。濃度が高いと呼吸困難を起こす場合もあります。
- お部屋の換気について



❗ 家具を設置の際は、室内の換気を十分に行ってください。
化学物質に敏感な体質の方や乳幼児などアレルギー症状を起こすことがあります。

ホルムアルデヒドは空気中に分散されやすいので、普段からこまめに室内の換気を行うようにしてください。特に複数の家具を同時に設置した場合は、窓をできるだけ広く開け、十分な換気を行ってください。室内の温度が高くなると、ホルムアルデヒドは多く分散される傾向がありますので、夏季に室内を長時間閉め切っている場合は、特に換気をするようにご注意ください。換気効率をあげるため複数の窓を開けたり、換気扇、扇風機、サーキュレーターの利用をおすすめします。

- 化学物質に敏感な体質のお客さまへ
ホルムアルデヒドに限らず、シックハウス症候群に該当する化学物質の許容量には個人差があります。よって、室内濃度指針値（健康上望ましいとされるホルムアルデヒドの室内濃度値）以下の濃度であっても反応する体質の方もいらっしゃいます。現段階の無印良品の家具におきましても、ホルムアルデヒド分散量の少ない材料を極力使用しておりますが、まったく分散されないわけではありませんので、ご注意ください。
アレルギー症状が起きた際は、医師にご相談されることをおすすめします。
- ホルムアルデヒド吸着・分解シートについて
狭い空間ではホルムアルデヒドは逃げ場がなく、材料に再吸着する可能性があります。そこで、お手元に届くまで少しでもホルムアルデヒド濃度を低下させるために、無印良品の家具には、ホルムアルデヒド吸着・分解シートを同梱しています。
※同梱の「ホルムアルデヒド吸着・分解シート」は効力が落ちておりますので、燃えるゴミとして処分してください。

製品仕様

品名	パイン材ユニットシェルフ・棚板ワイド・86cm幅用	パイン材ユニットシェルフ・棚板ワイド・58cm幅用
J A N	4547315262137	4547315262120
製品寸法	幅830×奥行490×高さ15 mm	幅550×奥行490×高さ15 mm
製品質量	約3.5 kg	約2.2 kg
用途	パイン材ユニットシェルフ用棚板	
耐荷重 棚板1枚あたり	約30 kg (※棚全体で均等に荷重をかけた場合)	
材質	棚板：天然木 (パイン材) メタルガイド：金属 (鋼) 表面加工：木部 アクリル樹脂UV塗装 スチール部 めっき (亜鉛)	
原産国	中国	

品名	パイン材ユニットシェルフ・棚板・86cm幅用	パイン材ユニットシェルフ・棚板・58cm幅用
J A N	4547315262113	4547315262106
製品寸法	幅830×奥行385×高さ15 mm	幅550×奥行385×高さ15 mm
製品質量	約2.3 kg	約1.7 kg
用途	パイン材ユニットシェルフ用棚板	
耐荷重 棚板1枚あたり	約30 kg (※棚全体で均等に荷重をかけた場合)	
材質	棚板：天然木 (パイン材) メタルガイド：金属 (鋼) 表面加工：木部 アクリル樹脂UV塗装 スチール部 めっき (亜鉛)	
原産国	中国	

品名	パイン材ユニットシェルフ・奥行25cmタイプ・棚板・86cm幅用	パイン材ユニットシェルフ・奥行25cmタイプ・棚板・58cm幅用
J A N	4547315262090	4547315262083
製品寸法	幅830×奥行250×高さ15 mm	幅550×奥行250×高さ15 mm
製品質量	約1.7 kg	約1.1 kg
用途	パイン材ユニットシェルフ用棚板	
耐荷重 棚板1枚あたり	約15 kg (※棚全体で均等に荷重をかけた場合)	
材質	棚板：天然木 (パイン材) メタルガイド：金属 (鋼) 表面加工：木部 アクリル樹脂UV塗装 スチール部 めっき (亜鉛)	
原産国	中国	

お問い合わせ先

製品のお問い合わせは、お買い上げの販売店もしくは下記お客様相談室までご連絡ください。

株式会社 良品計画

お客様相談室でんわ

 0120-14-6404

S2Y10610

PINE UNIT SHELF / WIDE TYPE / SHELF BOARD (W86 cm)
PINE UNIT SHELF / WIDE TYPE / SHELF BOARD (W58 cm)
PINE UNIT SHELF / SHELF BOARD (W86 cm)
PINE UNIT SHELF / SHELF BOARD (W58 cm)
PINE UNIT SHELF / D25CM / SHELF BOARD (W86 cm)
PINE UNIT SHELF / D25CM / SHELF BOARD (W58 cm)

User Guide

Thank you for your purchase.

Read this User Guide before use to ensure correct assembly and use of the product.

Store this guide in an easily accessible place for future reference.

Table of Contents	Pages
Important Information (Safety Advice)	11 - 12
Parts	13
Part Names	13
Assembly Instructions	14 - 15
Directions for Use	15 - 16
Care Instructions	16
General Notes	17
Specifications	18
Contact Information	18

Important Information (Safety Advice)

The instructions must be followed.

This User Guide contains important information for safe use of the product in order to prevent harm to users and other individuals as well as damage to property.

Please note the following contents (indications and graphic symbols) before reading the main contents of this guide and follow the given instructions.

- Explanations of Indications

The extent of injury and damage that may arise when the product is used incorrectly is classified and explained with the following symbols.

 WARNING	Indicates a hazard with a level of risk which, if not avoided, could result in death or serious injury ^{*1} to the user.	 CAUTION	Indicates a hazard with a level of risk which, if not avoided, could result in injury ^{*2} to the user or property damage ^{*3} .
--	---	--	--

- Explanations of Graphic Symbols

Instructions are given in the form of the following graphic symbols. (Examples of graphic symbols are as follows.)

 Actions that are prohibited.	 Actions that must be taken.
--	---

*1 "Serious injury" indicates injuries, such as blindness, traumas, burns, bone fractures, poisoning, or electric shocks, that have long-term effects and require hospitalisation and/or long-term hospital visits for treatment.

*2 "Injury" indicates traumas or burns that do not require hospitalisation or long-term hospital visits for treatment.

*3 "Property damage" indicates extended damage that involves the house or household property.

 WARNING	
 DON'Ts	<ul style="list-style-type: none"> • Do not place anything heavy in the upper section. The objects may fall off or the shelf can tip over and lead to injury in the event of an earthquake, etc. • Do not place near a heat source such as a heater. Doing so may cause a fire. • Do not place on the power cord of an electrical appliance. Doing so may damage the cord, leading to electric shock or a fire.
 DOs	<ul style="list-style-type: none"> • Carefully read the User Guide provided with the basic shelf set* or additional frames (sold separately), to ensure correct use. It contains precautions for using the assembled product to help prevent injury and ensure your safety.

* Set of frames, shelf boards and cross bars of Pine Unit Shelf.

 CAUTION	
 DON'Ts	<ul style="list-style-type: none"> • Do not directly touch the edge of the metal guides on the shelf boards. Doing so may cut your fingers or hands. • Do not use unless fully assembled. Doing so may cause the fixed parts to come off and lead to injury. • Do not drag when moving the shelf. Doing so may cause damage to the shelf, floor scratches and/or injury. • Do not install the shelf boards onto the shelf of different depth. They will not be securely fixed and fall off, resulting in injury.

CAUTION (Continued)

 DON'Ts	<ul style="list-style-type: none"> ● Do not use for other than its intended purpose. Doing so may cause damage to the product, resulting in injury. ● Do not place anything exceeding the withstand load or anything only on one side even if it is within the withstand load. Doing so may cause product deformation or damage and lead to injury. ● Do not attempt to repair or modify. Doing so reduces the strength of the product, leading to injury. ● Do not use outdoors. Doing so may cause deformation or severe degradation, leading to injury.
 DOs	<ul style="list-style-type: none"> ● When installing the shelf boards, check the positions where the boards are installed, and be careful not to get your fingers and hands caught. ● Be careful not to allow the metal guides to come in contact with other furniture or the wall. Failure to do so may cause damage to the furniture, floor scratches and/or injury. ● Make sure to install required number of shelf boards and cross bars according to the size of your shelf frames. Failure to do so may reduce the strength of the shelf, resulting in injury. ● Be sure to install the shelf boards on the top and bottom of the shelf. Otherwise the strength will be insufficient, resulting in injury. ● Ventilate the room well at the early stage of use. Formaldehyde contained in adhesive may still remain, and those with chemical sensitivity and small children may experience allergic reactions. ● The product must be installed by at least two adults. Installing alone may cause injury, tip-over, damage and/or floor scratches. ● When moving the shelf, remove all stored items and be sure to move it with at least two adults. Moving it alone may result in damage and/or injury. ● When moving the shelf for a home move, etc., put it back into the pre-assembly state beforehand. Not doing so may cause injury, damage to the shelf or scratches on the floor. ● Regularly check for any looseness or damage in all parts, and stop use if any abnormalities are found. Continued use under this condition may cause injury or product damage.

Note (Other Caution)


	<ul style="list-style-type: none"> ● Do not place in locations with high temperatures or low humidity for a long time. Doing so may cause warping, distortion or cracking. ● Do not expose to direct sunlight and heat or air from heating and cooling appliances. Doing so may cause warping, distortion, cracking, or discolouration. ● Do not place hot or wet items directly on the product. Doing so may cause warping, distortion, cracking, discolouration or mould growth. ● Do not place plastic items (vinyl chloride resin, etc.) directly on the shelf boards for a long time. Doing so may cause discolouration or peeling of the coating. ● Do not use bleach or organic solvents, such as thinner, for cleaning. Doing so may cause discolouration or deformation. ● To dispose of the packaging materials, follow the rules implemented by your local government.
--	---

Parts

* Each list applies to all models.


Parts

Ⓐ Shelf Board × 1




WIDE TYPE / SHELF BOARD (W86 cm)

WIDE TYPE / SHELF BOARD (W58 cm)




SHELF BOARD (W86 cm)

SHELF BOARD (W58 cm)




D25CM / SHELF BOARD (W86 cm)



D25CM / SHELF BOARD (W58 cm)

Part Names

Ⓐ Shelf Board



Metal Guide

(Completion Image)

* **SHELF BOARD (W86 cm)** is used in the illustrations.

Assembly Instructions

* Each list applies to all models.

* **SHELF BOARD (W86 cm)** is used in the illustrations.



CAUTION


- ❗ The product must be installed by at least two adults. Doing it alone may cause injury, tip-over, damage and/or floor scratches.
- ⊘ Do not use power tools to install the product. Placing excessive strain on the product may cause damage and lead to injury.
- ❗ Retighten all the bolts approximately one week after installation of the boards. They may be loose at the start of use, and continued use under this condition can lead to damage and/or injury.
- ❗ Secure enough space and place an underlay when installing the product. This prevents the floor and other furniture from scratches.

Installing the Shelf Board

- For details on how to assemble the unit shelf, read the User Guide provided with basic set of Pine Unit Shelf or additional frames (separate unit).

1 By referring to "Inserting the Shelf Board", install the shelf boards in order from the lower to upper section of the shelf.

* Determine installation positions according to the height of the items to be stored.



Inserting the Shelf Board

Hold and tilt the shelf board and insert it in between the shelf frames from the front.

Frame

Insert the metal guides on the near side into the grooves on the horizontal rungs of the frames. Insert the metal guides on the far side into the grooves in the same way.

* Push slightly hard to ensure secure fit.

Metal Guide
Groove on Horizontal Rung

Note
(Other Caution)

Use the required number of cross bars and shelf boards.




CAUTION

- ⊘ Do not directly touch the edges of the metal guides with bare hands. Doing so may cause injury.
- ⊘ Do not hold any areas around the frame edges or metal guides when installing the shelf boards. Doing so may cause your fingers or hands to get caught, resulting in injury.

Assembly Instructions (Continued)

Installing onto Connected Shelves

- The process is basically the same as the one for installing onto a single shelf. First, insert the shelf board in between the frames. Next, insert the metal guides into the remaining space of the groove with no other metal guides inserted. Insert the metal guides on the near side into the grooves on the horizontal rung first, followed by the metal guides on the far side.



Directions for Use

Required Number of Shelf Boards and Cross Bars



❗ Be sure to install the required number of shelf boards and cross bars into the appropriate positions for safety reasons.

- Use the required number of shelf boards and cross bars according to the frame size.

Shelf Board

Large 3 or more
 Medium..... 3 or more
 Small 2 or more


Cross Bar

Large 2
 Medium..... 1
 Small 1


- Be sure to install the shelf boards on the top and bottom of the frame.




Example: When shelf boards are correctly installed



Example: When no shelf boards are installed on the top and bottom



Example: When the number of the shelf boards is insufficient



* The frames of Pine Unit Shelf L are used in the illustrations.

Directions for Use (Continued)

Precautions for Storage


 CAUTION	<p>❗ Do not place anything heavy in the upper section. The objects may fall or the shelf may tip over, resulting in injury in the event of an earthquake, etc.</p>
---	--



Example: When the shelf is in an unstable state

Heavy Objects

Light Objects



Relocating the Shelf

<Relocating the Fully Assembled Shelf>

- Do not lift the shelf board(s) with anything placed on top. Otherwise this may cause injury and/or damage to the stored items.
- Do not drag the shelf. Doing so may cause damage to the shelf, floor scratches and/or injury.

<Relocating the Shelf for a Home Move, etc.>

- When moving the shelf, put it back into the pre-assembly state beforehand. Not doing so may cause injury, damage to the shelf or scratches on the floor.

Disposal

- To dispose of the product, follow the rules implemented by your local government.

Care Instructions

Maintenance and Inspection

- Do not use if damaged or deformed.
- Regularly check for any looseness or damage in all parts, and stop use if any abnormalities are found. Continued use under this condition may cause injury or product damage.
- Take insecticidal measures immediately if any type of pest is found. If left untreated, pest damage may worsen.

Maintenance for Wooden Parts

- If the product is heavily soiled, clean it with a cloth soaked in 3-5% neutral detergent solution and wipe off any detergent residue with a damp cloth. Then gently wipe with a dry cloth and let the product dry naturally.
- Do not leave a chemically treated cloth in contact with the product for a long time. Doing so may cause discolouration or peeling of the surface material.

Maintenance for Metal Parts

- For regular cleaning, wipe with a soft, dry cloth.
- If the product is heavily soiled, clean it with a cloth soaked in 3-5% neutral detergent solution and wipe off any detergent residue with a damp cloth. Then gently wipe with a dry cloth and let the product dry naturally.

General Notes

Care Tips for Natural Wood Products

- As this product is manufactured using natural wood, there are individual differences (grain, colour, etc.) unique to natural wood.
- Note that cracking and warping may occur in natural wood under the following conditions.
 - Avoid use at locations exposed to direct sunlight. If exposure to direct sunlight is unavoidable, use curtains, etc. to reduce the amount of sunlight.
 - Avoid use near heaters or air conditioners and make sure that the air from heater or air conditioner does not come into direct contact with the product.
 - In particular, use of heating appliances during winter causes the room to become extremely dry and may lead to cracking or warping of natural wood.

Formaldehyde Countermeasures

- What is Formaldehyde?

Formaldehyde is said to be a cause of sick house syndrome. It is a colourless, pungent-smelling chemical that vaporises at room temperature, often found in furniture, building materials, wallpaper adhesives, etc. As it is gradually released into the air, spending a long time in a room contaminated with formaldehyde can result in eye/throat irritation. Also, exposure to a high concentration of formaldehyde may cause breathing difficulties.

- Room Ventilation

 CAUTION	ⓘ Ventilate the room well when installing the furniture. Some individuals sensitive to chemicals and small children may experience allergic symptoms.
---	---

Be sure to frequently ventilate the room on a regular basis as formaldehyde is released into the air. Especially when installing multiple pieces of furniture at the same time, open the windows wide enough to allow adequate ventilation. Formaldehyde release tends to increase with temperature rise of the room. Therefore, be sure to ventilate well after the room has been closed up for a long time during summer. It is recommended that you open multiple windows and use a ventilation fan or an air circulator to increase ventilation efficiency.

- For Individuals Sensitive to Chemicals

There are individual differences in resistance to chemicals that are related to sick house syndrome other than formaldehyde. Therefore, even if the actual concentration in the room is lower than the indoor concentration guideline value (acceptable safe level of formaldehyde indoors), some people may react to formaldehyde. MUJI furniture are made with materials that contain as little formaldehyde as possible, but note this does not guarantee that they are completely formaldehyde-free. It is recommended that you seek medical attention if you experience any allergic symptoms.

- Formaldehyde Adsorption/Decomposition Sheet

Formaldehyde is readsorbed onto materials when there is nowhere for it to dissipate in a confined space. Therefore, a formaldehyde adsorption/decomposition sheet is included in the packaging to reduce formaldehyde concentration as much as possible before the product reaches the customer.

* The effect of the sheet will be diminished by the time the product reaches the customer. Dispose of the sheet as burnable waste after unpackaging.

Specifications

Product Name	PINE UNIT SHELF / WIDE TYPE / SHELF BOARD	PINE UNIT SHELF / WIDE TYPE / SHELF BOARD
JAN	4547315262137	4547315262120
Product Dimension	W830 × D490 × H15 (mm)	W550 × D490 × H15 (mm)
Product Weight	Approx. 3.5 kg	Approx. 2.2 kg
Usage	Shelf Board for Pine Unit Shelf	
Withstand Load per Shelf Board	Approx. 30 kg (* When the load is evenly distributed across the shelf)	
Material	Shelf Board : Natural Wood (Pine) Metal Guide : Metal (Steel) Surface Finish : Wooden Part : Acrylic Resin UV Coating Steel Part : Zinc Plating	
Place of Origin	CHINA	

Product Name	PINE UNIT SHELF / SHELF BOARD	PINE UNIT SHELF / SHELF BOARD
JAN	4547315262113	4547315262106
Product Dimension	W830 × D385 × H15 (mm)	W550 × D385 × H15 (mm)
Product Weight	Approx. 2.3 kg	Approx. 1.7 kg
Usage	Shelf Board for Pine Unit Shelf	
Withstand Load per Shelf Board	Approx. 30 kg (* When the load is evenly distributed across the shelf)	
Material	Shelf Board : Natural Wood (Pine) Metal Guide : Metal (Steel) Surface Finish : Wooden Part : Acrylic Resin UV Coating Steel Part : Zinc Plating	
Place of Origin	CHINA	

Product Name	PINE UNIT SHELF / D25CM / SHELF BOARD	PINE UNIT SHELF / D25CM / SHELF BOARD
JAN	4547315262090	4547315262083
Product Dimension	W830 × D250 × H15 (mm)	W550 × D250 × H15 (mm)
Product Weight	Approx. 1.7 kg	Approx. 1.1 kg
Usage	Shelf Board for Pine Unit Shelf	
Withstand Load per Shelf Board	Approx. 15 kg (* When the load is evenly distributed across the shelf)	
Material	Shelf Board : Natural Wood (Pine) Metal Guide : Metal (Steel) Surface Finish : Wooden Part : Acrylic Resin UV Coating Steel Part : Zinc Plating	
Place of Origin	CHINA	

Contact Information

For enquiries regarding the product, please contact the store of purchase.