MUJI 無印良品

保存用

Retain for future reference

木製ベッド用下収納ボックス仕切り付き Wooden bed Storage box with divider

パイン材用 For Pine

組立・取扱説明書 User Guide

日本語

この度は本製品をお買い上げいただき、誠にありがとうございます。 1ページからお読みください。

English

Thank you for your purchase.

Read these instructions from Page 12.

4547315194735 Wooden bed Storage box with divider Pine

MUJI無印良品

保存用

木製ベッド用下収納ボックス仕切り付き

パイン材用

組立・取扱説明書

この度は本製品をお買い上げいただき、誠にありがとうございます。 ご使用前に本書をよくお読みいただき、内容を理解した上で、正しく組み立て、正しくお使いください。 また、本書はいつでも確認できるように大切に保管してください。

もくじ	ページ
重要なお知らせ(安全上のご注意)	2~ 3
パーツリスト	4
各部の名称	4
組立方法	5~ 8
ご使用方法	9
お手入れ方法	9
ご使用に際して	10
製品仕様	11
お問い合わせ先	11

重要なお知らせ(安全上のご注意)

必ずお守りください。

本書には、お使いになる方や他の人への危害と財産への損害を未然に防ぎ、安全に正しくお使いいただくために、重要な内容を記載しています。

次の内容(表示・図記号)をよく理解してから本文をお読みになり、記載事項をお守りください。

●表示の説明

誤った使い方をしたときに生じる危害や損害の程度を区分して説明しています。

҈ 警告

使用者が死亡または重傷(※1)を負うことが想定される内容です。

注意

使用者が傷害 (※2) を負うことや 物的損害 (※3) が発生することが 想定される内容です。

●図記号の説明

お守りいただく内容を次の図記号で説明しています。(次は図記号の例です。)



してはいけない「禁止」の内容です。



実行しなければならない内容です。

- ※1 重傷とは、失明やケガ、やけど、骨折、中毒、感電などで後遺症が残るもの及び治療に入院、長期の 通院を要するものをさします。
- ※2 傷害とは、治療や入院や長期の通院を要しない、ケガ、やけどをさします。
- ※3 物的損害とは、家屋、家財にかかわる拡大損害をさします。

⚠ 警告

●直射日光や冷暖房器具などの熱や風が製品に直接当たらないようにしてください。反りやゆがみ、割れ、変色などの原因になります。



- ●製品で電化製品の電源コードを踏まないでください。コードが破損し、感電や火災の原因となります。
- ●不要になった梱包材は、幼児の手の届くところに置かないでください。頭からかぶるなどしたときに、口や鼻をふさぎ、窒息するおそれがあります。
- ●フィッティングパーツは幼児の手の届くところには置かないでください。また、なくさないでください。これらは小さく、誤飲してしまうと窒息などのおそれがあります。

介注意

- ●組み立てが不完全なまま使用しないでください。固定部分がはずれてケガの原因になることがあります。
- ●製品の上にのらないでください。バランスをくずして転倒したり、製品の破損によりケガをする おそれがあります。
- ●修理や改造はしないでください。製品の強度が弱くなり、ケガをするおそれがあります。



- ●破損や変形した状態では使用しないでください。製品の強度が弱くなりケガをするおそれがあります。
- ●指定の用途以外で使用しないでください。破損してケガをするおそれがあります。
- ●屋外では使用しないでください。変形や著しい劣化が起こり、ケガをする原因となります。
- ●収納部の1箇所に過度の荷重をかけないでください。また、無理に引っ張ったり、進行方向 以外に動かしたりしないでください。床にキズがつく原因となります。
- ●汚れた物や湿った物は収納しないでください。収納物や本体にカビが生じる原因となります。
- ●耐荷重を超えて物をのせたり、耐荷重内でも一部に片寄ってのせたりしないでください。変形や破損の原因となり、ケガをするおそれがあります。

注意

- ●製品を動かす際は、指や手をはさまないようにご注意ください。ケガをする原因となります。
- ●組み立ては、大人2人以上で行ってください。 1人で作業すると、転倒や破損、ケガをしたり、床をキズつける原因となります。
- ●組み立て時は、組み立てに必要なスペースを十分に確保し、敷物を敷いてください。床や既存の 家具のキズ防止になります。
- ●部屋の換気は定期的に行ってください。特に下記の条件ではカビやダニが生じやすく健康を 害するおそれがあります。




- ●収納部は湿気がこもりやすく、カビの原因となりうるので、市販の除湿剤 (湿気取り用) などを使ったり、定期的な換気も行ってください。湿気は収納物や本体にカビが生じる原因となります。
- ●使い始める時は、室内の換気を十分にしてください。接着剤などに含まれるホルムアルデヒドが 残っている可能性があり、化学物質に敏感な体質の方や乳幼児などアレルギー症状をおこす おそれがあります。
- ●床面がフローリングなどやわらかい床の場合、カーペットなどを敷いて床材を保護してください。 キャスターによる床の凹み、キズの防止になります。
- ●製品をベッドの下に置いて動かす際は、取り付けたキャスターの進行方向に対して真っ直ぐに動かしてください。斜めに引っ張ると、キャスターが回転せずに床面がキズつく原因となります。


お願い(その他注意)

- ●毛足の長いじゅうたん類の上でのご使用はお避けください。キャスターの動きが悪くなることがあります。
- ●衣類やタオル類は直接収納しないでください。製品の素材特有の臭いが移る場合がありますので、臭いが移らないプラスチック製袋などに入れてから収納してください。
- ●平らで安定した場所に設置してください。不安定な場所での使用は、製品のゆがみ、破損の原因になることがあります。
- ●高温な場所、乾燥した場所で長期間設置しないでください。製品の反りやゆがみ、割れなどの原因になります。
- ●シンナーなどの有機溶剤や漂白剤などの薬剤でお手入れしないでください。変色や変形の原因となります。

パーツリスト




各部の名称




注意

- 組み立ては、大人2人以上で行ってください。1人で作業すると、転倒や破損、ケガをしたり、 床をキズつける原因となります。
- ○組み立てには電動工具は使用しないでください。無理な負荷がかかると、製品破損によりケガを するおそれがあります。
- 組み立て後、1週間程度経過しましたら、ボルトを締め直してください。使い始めはゆるんでいる場合があり、そのまま使用すると破損、ケガの原因となります。
- 組み立て時は、組み立てに必要なスペースを十分に確保し、敷物を敷いてください。床や既存の 家具のキズ防止になります。
- はじめに、組み立てる場所に敷物を敷いて床面を保護してください。
 - ④側板・長を図のように置き、ジョイントピン取付穴に③ジョイントピンを8ヶ所(1枚につき4ヶ所)を ねじ込んでください。

ジョイントピンは、はじめに手でねじ込んでおき、それからお手持ちのプラスドライバーで締め込むと容易です。





- ※ジョイントピンの取り付け時の注意については次ページの
 - 「ジョイントピンとカムナットの取り付け方」をご参照ください。
- ※白いプラスチックパーツが埋め込んである穴がジョイントピン取付穴で、その他は木ダボ用穴です。




組立方法(つづき)


- ⑤カムナットを十字溝の鋭角部がジョイントピンの方向を向くように調整しながら®側板・短のカムナット 用穴に2ヶ所入れ、⑥カムナットをプラスドライバーでしっかり締め付けてください。
 - ※ジョイントピンとカムナットの取り付け方の詳細については、下記「ジョイントピンとカムナットの取り 付け方しをご参照ください。






て固定してください。






この 「開口部 | を下図

のようにジョイントピン




カムナットの

十字溝の鋭角部



お手持ちのプラスドライバーでカム ナットを時計回りにまわし、ジョイント ピンにしっかりかみ合わせてください。 仕様上、カムナット穴はきつめに設定 されております。カムナットがカムナット 穴に入りにくい場合は、ドライバーなど で強めに押し込んでください。


- (1) B側板・短の溝に合わせ、E底板をスライドさせながら入れ込みます。
- 差し込みます。




組立方法(つづき)


注意

(1)




- 1 ⑧側板・短を 2 同様に差し込み、3 同様の手順で⑥カムナットを入れて締めてください。
 - ② 上からA側板・長を **2** 同様に差し込み、@ジョイントピン、木ダボそれぞれを合わせながら **3** 同様の手順で®カムナットを入れて締めてください。






上からA側板・長をはめ込む際に


- 1. 左右の側板が広がらないように 押さえ、底板が溝からはずれない ようにしてください。
- 2. ②底フレーム (穴有) と®底フレーム (センター) をまっすぐに立て
 ④側板・長の全ての穴にそれぞれの
 木ダボ、
 ③ジョイントピンが
 正確
 に入るように差し込んでください。




本体を裏返した状態で静かに置き、©底フレーム (穴有) の4ヶ所に©木ネジを使ってガイド穴に合わせて ⑥キャスターを取り付けてください。

取り付け方は【横使い】【縦使い】で異なります。下のイラストを参照し、取り付けを選んで取り付けてください。








組立方法(つづき)

7

本体を表向きにして、

同仕切り板を溝に合わせて差し込み完成です。

最後に、もう一度全てのカムナットがしっかり締めつけてあるかを確認してください。



ご使用方法

移動について

〈組み立てた状態で動かす場合〉

●組み立てた製品をベッド下から他の場所などへ移動する時は、床面を引きずらず、必ずベッド下収納の下に両手を掛け、大人2人以上で同時に持ち上げて運んでください。ケガや破損、床面へのキズの原因となります。

〈引越しなどで運ぶ場合〉

●(引越しなどで) 移動をする際は、組み立て前の状態に戻してから運んでください。ケガや製品の破損、床面が キズがつくおそれがあります。

廃棄について

●廃棄の際は、居住地域の自治体のルールに従い、処分してください。

お手入れ方法

保守・点検

- ●破損や変形した状態では使用しないでください。製品の強度が弱くなりケガをするおそれがあります。
- ●各部にグラつきや破損がないか定期的に点検し、異常が認められたら使用を中止してください。そのまま使用すると、ケガや破損の原因となります。
- ●害虫を発見した場合は、直ちに殺虫や防虫処理をしてください。放置すると虫害が拡大するおそれがあります。

木部のお手入れ

- ●塗装面のほこりはやわらかい布または、はたきで軽く払ってください。
- ●化学雑巾を長時間接触させたままにしないでください。変色したり、表面がはがれたりするおそれがあります。

金属部のお手入れ

- ●通常のお手入れは、やわらかい布で乾ぶきしてください。ほこりなどはブラシや掃除機(弱設定)などで取り除いてください。
- ●汚れのひどい時は、3~5%に薄めた中性洗剤を浸した布で汚れを落とし、その後、水で浸した布で洗剤分をよくふき取ってください。次に乾いた布で軽くふいた後、自然乾燥させてください。

ご使用に際して

天然木について

- ●本製品は天然木 (突板) を使用しているため、製品ごとに天然木材特有の個体差 (木目や色合いなど) がありますが、あらかじめご了承ください。
- ●天然木(突板)は下記の条件により、割れや反りなどが発生するおそれがありますので、ご注意ください。
 - ・直射日光の当たる場所でのご使用は出来る限りお避けください。どうしても直射日光が当たる場合は、カーテンなどで出来る限り避けてご使用ください。
 - ・冷暖房器具の近くでのご使用は出来る限り避け、必ず冷暖房の風が直接当たらないようにしてください。
 - ・特に冬の暖房による室内の極端な乾燥は、天然木の割れ、反りを発生させる原因となります。

ホルムアルデヒドの対策について

●ホルムアルデヒドとは

シックハウス症候群の原因物質の一つといわれています。常温で気化する、無色で刺激臭のある化学物質で、 家具はもとより建築資材・壁紙を貼る接着剤などに含まれています。少しづつ放散されるため、ホルムアルデヒド に汚染された室内に長時間いると目がチカチカしたり、喉に不快な刺激を感じたりすることがあります。濃度が 高いと呼吸困難を起こす場合もあります。

●お部屋の換気について



ホルムアルデヒドは空気中に放散されやすいので、普段からこまめに室内の換気を行うようにしてください。特に複数の家具を同時に設置した場合は、窓をできるだけ広く開け、十分な換気を行ってください。室内の温度が高くなると、ホルムアルデヒドは多く放散される傾向がありますので、夏季に室内を長時間閉め切っている場合は、特に換気をするようにご注意ください。換気効率をあげるため複数の窓を開けたり、換気扇、扇風機、サーキュレーターの利用をおすすめします。

●化学物質に敏感な体質のお客さまへ

ホルムアルデヒドに限らず、シックハウス症候群に該当する化学物質の許容量には個人差があります。よって、室内濃度指針値(健康上望ましいとされるホルムアルデヒドの室内濃度値)以下の濃度であっても反応する体質の方もいらっしゃいます。現段階の無印良品の家具におきましても、ホルムアルデヒド放散量の少ない材料を極力使用しておりますが、まったく放散されないわけではありませんので、ご注意ください。アレルギー症状が起きた際は、医師にご相談されることをおすすめします。

●ホルムアルデヒド吸着・分解シートについて

狭い空間ではホルムアルデヒドは逃げ場がなく、材料に再吸着する可能性があります。そこで、お手元に届くまで少しでもホルムアルデヒド濃度を低下させるために、無印良品の家具には、ホルムアルデヒド吸着・分解シートを同梱しています。

※同梱の「ホルムアルデヒド吸着・分解シート」は効力が落ちておりますので、燃えるゴミとして処分してください。

製品仕様

品 名	木製ベッド用下収納ボックス仕切り付き
規格	パイン材
J A N	4547315194735
製品寸法	幅945×奥行625×高さ185 mm
製品重量	約8 kg
耐 荷 重	約10 kg(全体で均等に荷重をかけた場合)
用途	収納(木製ベッド ベッド下スペース用)※
材質	側 板、仕切り板、底フレーム:天然木(パイン材) 底 板:繊維板(プリント紙化粧) キャスター:ポリプロピレン 表面加工:側板、仕切り板:ラッカー塗装
原産国	ベトナム

※対応するベッドについて

ベッドの種類によってはご使用いただけない製品がありますので、ご注意ください。 詳細はお買い上げ店舗もしくはお客様相談室までお問い合わせください。

お問い合わせ先

製品のお問い合わせは、お買い上げの販売店もしくは下記お客様相談室までご連絡ください。

株式会社 良品計画

〒170-8424 東京都豊島区東池袋 4-26-3 お客様相談室でんわ

00000120-14-6404

S2Y20328

Retain for future reference

MUJI 無印良品

Wooden bed Storage box with divider

For Pine

User Guide

Thank you for your purchase.

Read this User Guide before use to ensure correct assembly and use of the product.

Store this guide in an easily accessible place for future reference.

Table of Contents	Pages
Important Information (Safety Advice)	13 - 14
Parts	15
Part Names	15
Assembly Instructions	16 - 19
Directions for Use	20
Care Instructions	20
Usage	21
Specifications	22
Contact Information	22

Important Information (Safety Advice)

This User Guide contains important information for safe use of this product in order to prevent harm to users and other individuals as well as damage to property.

Please note the following contents (indications and graphic symbols) before reading the main contents of this guide and follow the given instructions.

Explanations of Indications

The extent of injury and damage that may arise when the product is used incorrectly is classified and explained with the following symbols.



Indicates a hazard with a level of risk which, if not avoided, could result in death or serious injury*1 to the user.



Indicates a hazard with a level of risk which, if not avoided, could result in injury*2 to the user or property damage*3.

Explanations of Graphic Symbols
 Instructions are given in the form of the following graphic symbols. (Examples of graphic symbols are as follows.)



Actions that are prohibited.



Actions that must be taken.

- *1 "Serious injury" indicates injuries, such as blindness, traumas, burns, bone fractures, poisoning, or electric shocks, that have long-term effects and require hospitalisation and/or long-term hospital visits for treatment.
- *2 "Injury" indicates traumas or burns that do not require hospitalisation or long-term hospital visits for treatment.
- *3 "Property damage" indicates extended damage that involves the house or household property.


WARNING


 Do not expose to direct sunlight and heat or air from heating and cooling appliances such as an air conditioner and a heater. Doing so may cause warping, distortion, cracking, or discolouration.




- Do not place on the power cord of an electrical appliance. Doing so may damage the cord, leading to electric shock or a fire.
- Do not leave unnecessary packaging materials within reach of small children. Small children may accidentally pull them over their heads and cover their mouth and/or nose, causing suffocation.
- Do not keep the fitting parts within reach of small children and be careful not to lose them.
 Children may accidentally swallow small parts and choke.

ACAUTION







- Do not use if damaged or deformed. Doing so reduces the strength of the product and may lead to injury.
- Do not use for other than its intended purpose. Doing so may cause damage to the product, resulting in injury.

Important Information (Safety Advice)

CAUTION (Continued)

ON'TS

- Do not use outdoors. Doing so may cause deformation or severe degradation, leading to injury.
- Do not place excessive load only on one part of the storage section. Also, do not pull
 forcefully or move the product in directions other than that intended. Doing so may cause
 scratches on the floor.
- Do not place anything exceeding the withstand load or anything only on one side even if it is within the withstand load. Doing so may cause product deformation or damage and lead to injury.
- Be careful not to get your fingers and hands caught when moving the product. Otherwise, this may result in injury.
- The product must be assembled by at least two adults. Assembling alone may cause injury, tip-over, damage and/or floor scratches.
- Secure enough space and place an underlay when assembling the product. This prevents the floor and other furniture from scratches.
- Regularly ventilate the room. Especially under the following conditions, infestation of mould and mites may occur, leading to health hazards.




- The storage section is likely to accumulate moisture. Use dehumidifying agents to keep it dry. Regular ventilation is also necessary. Moisture may cause mould to grow on stored items or the unit itself.
- Ventilate the room well at the early stage of use. Formaldehyde contained in adhesive may still remain, and those with chemical sensitivity or small children may experience allergic reactions.
- Place a rug (or any other underlay) under the product to protect the floor when using it on a soft flooring material. This prevents the floor from dents and scratches caused by castors.
- When placing the product under a bed, be sure to move it in the same direction as that of the castors. The castors do not roll when the product is pulled diagonally and may cause scratches on the floor.


Note (Other Caution)

- Avoid use on high pile carpet. Castors may not move smoothly on it.
- Do not directly store clothing and towels. Keep them in plastic bags to prevent transfer of the distinct smell from the product.
- Install on a flat and stable surface. Using on an unstable surface may cause product distortion or damage.
- Do not place in locations with high temperatures or low humidity for a long time. Doing so may cause warping, distortion or cracking.
- Do not use bleach or organic solvents such as thinner for cleaning. Doing so may cause discolouration or deformation.

Parts



Part Names




Assembly Instructions




- The product must be assembled by at least two adults. Assembling alone may cause injury, tip-over, damage and/or floor scratches.
- On not use power tools to assemble the product. Placing excessive strain on the product may cause damage and lead to injury.
- Retighten all the bolts approximately one week after assembly. They may be loose at the start of use, and continued use under this condition can lead to damage and/or injury.
- Secure enough space and place an underlay when assembling the product. This prevents the floor and other furniture from scratches.
- Place a protective underlay on the floor where the product will be assembled.

 Place (a) side boards/long as shown in the image below and screw (a) joint pins into the eight joint pin mounting holes (four holes per board).

For easier insertion, it is recommended that the joint pins are initially screwed in by hand and then fully tightened with your <u>crosshead screwdriver</u>.




- * Refer to "Attaching the Joint Pin and Cam Nut" section on the next page for precautions when attaching the joint pins.
- * Holes with white plastic anchors embedded are joint pin mounting holes. Other holes are wood dowel holes.
- Insert the wood dowels into the wood dowel holes and the joint pins into the joint pin holes on (A) (B) side boards.



Assembly Instructions (Continued)


- 3
- Insert ⓑ cam nuts into the two cam nut holes on ⓑ side board/short, adjusting the cam nuts so that the pointed end of the cross groove points the direction of the joint pin. Tighten ⓑ cam nuts firmly with a crosshead screwdriver.
- * For details on how to attach the joint pin and cam nut, see "Attaching the Joint Pin and Cam Nut" section below.



Attaching the Joint Pin and Cam Nut Set the joint pins on * Joint Structure of Joint Pins the joint pin mounting and Cam Nuts holes. Insert the cam nut Reverse while aligning its opening with the joint pin head as shown in Fix these joint pins the figure below. Crosshead by rotating them Screwdriver clockwise with your crosshead Firmly secure the joint pin by screwdriver. turning the cam nut clockwise Joint Pin Head with your crosshead screwdriver. Correct The cam nut holes are made Front tight. If you have trouble fitting the cam nut into the cam nut Pointed end of the hole, use a screwdriver, etc. and cross groove on push the cam nut firmly in place. the cam nut



- 1 Slide © bottom board along the groove of ® side board/short.
- ② Insert © bottom frame (centre) into the dowel holes in the centre and © bottom frames (with holes) into the dowel holes on both sides of (A) side board/long.




Assembly Instructions (Continued)


Be careful not to move ® side boards/short outward during assembly. Otherwise this may cause the wooden parts near joint pins on A side board/long to break. A Side Board/ Long * The image above illustrates

- ① Insert ® side boards/short as in step 2, then insert and tighten ® cam nuts in the same way as step 3.
 - ② Attach A side board/long from above as in step 2. Align ⓐ joint pins and wood dowels, then insert and tighten ⓑ cam nuts in the same way as step 3.

Crack




step 5.



Follow the points below when attaching (A) side board/long:


- hold the side boards in place to prevent them from moving outwards and make sure the bottom board does not come out of the groove, and
- 2. stand © bottom frames (with holes) and © bottom frame (centre) upright and place A side board/long so that all the wood dowels and a joint pins are properly inserted into the holes.





B Side Board/Short

Gently place the unit reversed. Align © castors with the four guide holes on © bottom frames (with holes) and fix them with © wood screws.

The orientation of the castors will differ depending on whether the product will be used lengthways or crossways. Refer to the image below and select the way you prefer to attach them.








: Direction of movement

Assembly Instructions (Continued)



Turn the unit over, insert \bigcirc divider into the groove to complete the assembly. Check that all the cam nuts are fully tightened.



Directions for Use

Relocating the Product

<Relocating the Fully Assembled Product>

• Do not drag the product on the floor when moving it after assembly. It must be lifted and carried by two or more adults holding the bottom side with both hands. Otherwise this may cause injury, damage to the product or scratches to the floor.

<Relocating the Product for a Move, etc.>

• When moving the product for a home move, etc., put it back into the pre-assembly state beforehand. Not doing so may cause injury, product damage or scratches on the floor.

Disposal

• To dispose of the product, follow the rules implemented by your local government.

Care Instructions

Maintenance and Inspection

- Do not use if damaged or deformed. Doing so reduces the strength of the product and may lead to injury.
- Regularly check for any looseness or damage in all parts, and stop use if any abnormalities are found. Continued use under this condition may cause injury or product damage.
- Take insecticidal measures immediately if any type of pest is found. If left untreated, pest damage may worsen.

Maintenance of Wooden Parts

- Gently wipe off dust from coated surfaces using a soft cloth or duster.
- Do not leave a chemically treated cloth in contact with the product for a long time. Doing so may cause discolouration or peeling of the surface material.

Maintenance of Metal Parts

- For regular cleaning, wipe with a soft, dry cloth. Remove dust with a brush or a vacuum cleaner (at low setting).
- If the product is heavily soiled, clean it with a cloth soaked in a 3% to 5% neutral detergent solution and wipe off any detergent residue with a damp cloth. Then gently wipe with a dry cloth and let the product dry naturally.

Usage

Care Tips for Natural Wood Products

- As this product is manufactured using natural wood (veneer), there are individual differences (grain, colour, etc.) unique to natural wood.
- Note that cracking and warping may occur in natural wood (veneer) under the following conditions.
 - Avoid use at locations exposed to direct sunlight. If exposure to direct sunlight is unavoidable, use curtains, etc. to reduce the amount of sunlight.
 - Avoid use near heaters or air conditioners and make sure that the air from heater or air conditioner does not come into direct contact with the product.
 - In particular, use of heating appliances during winter causes the room to become extremely dry and may lead to cracking or warping of natural wood.

Formaldehyde Countermeasures

What is Formaldehyde?

Formaldehyde is said to be a cause of sick house syndrome. It is a colourless, pungent-smelling chemical that vaporises at room temperature, often found in furniture, building materials, wallpaper adhesives, etc. As it is gradually released into the air, spending a long time in a room contaminated with formaldehyde can result in eye/throat irritation. Also, exposure to a high concentration of formaldehyde may cause breathing difficulties.

Room Ventilation



• Ventilate the room well when installing the furniture. Some individuals sensitive to chemicals and small children may experience allergic symptoms.

Be sure to frequently ventilate the room on a regular basis as formaldehyde is released into the air. Especially when installing multiple pieces of furniture at the same time, open the windows wide enough to allow adequate ventilation. Formaldehyde release tends to increase with temperature rise of the room. Therefore, be sure to ventilate well after the room has been closed up for a long time during summer. It is recommended that you open multiple windows and use a ventilation fan or an air circulator to increase ventilation efficiency.

For Individuals Sensitive to Chemicals

There are individual differences in resistance to chemicals that are related to sick house syndrome other than formaldehyde. Therefore, even if the actual concentration in the room is lower than the indoor concentration guideline value (acceptable safe level of formaldehyde indoors), some people may react to formaldehyde. MUJI furniture are made with materials that contain as little formaldehyde as possible, but note this does not guarantee that they are completely formaldehyde-free.

It is recommended that you seek medical attention if you experience any allergic symptoms.

Formaldehyde Adsorption/Decomposition Sheet

Formaldehyde is readsorbed onto materials when there is nowhere for it to dissipate in a confined space. Therefore, a formaldehyde adsorption/decomposition sheet is included in the packaging to reduce formaldehyde concentration as much as possible before the product reaches the customer.

* The effect of the sheet will be diminished by the time the product reaches the customer. Dispose of the sheet as burnable waste after unpackaging.

Specifications

Product Name	Wooden bed Storage box with divider
Specifications	Pine
JAN	4547315194735
Product Dimension	W945 × D625 × H185 mm
Product Weight	Approx. 8 kg
Withstand Load	Approx. 10 kg (when load is evenly distributed)
Usage	Storage (for space under the Wooden bed)*
Materials	Side Boards / Divider / Bottom Frames : Natural Wood (Pine) Bottom Board : Fibre Board (Print Laminated Fibre Board) Castors : Polypropylene Surface Finish : Side Boards / Divider : Lacquer Coating
Place of Origin	VIETNAM

^{*} Applicable Beds

This product may not be applicable depending on the type of the bed.

Please contact the store of purchase for details.

Contact Information

For inquiries regarding the product, please contact the store of purchase.